

Exsense PRO



EXSENSE PRO BRAIDED LINE X8 PE

Braided by original Japan silk made of high polymer material.
Special coating offer excellent water repellency.
Superior abrasion resistance.
Increased sensitivity & easy handling.

Model	Drag(lb)	Dia(mm)	Length(m)
#0.6	14	0.138	150/300
#0.8	16	0.155	150/300
#1.0	22	0.175	150/300
#1.2	25	0.195	150/300
#1.5	30	0.218	150/300
#2.0	40	0.251	150/300
#2.5	45	0.275	150/300
#3.0	50	0.305	150/300
#4.0	75	0.346	150/300
#5.0	87	0.370	150/300
#6.0	95	0.400	150/300
#8.0	103	0.500	150/300
#10.0	110	0.600	150/300

LEISURE



LEISURE BRAIDED LINE X4 PE

Braided by latest technology, super tension, super wear resistance.
Material is imported from Japan, line smoother and more water cut properly.
GP technology improved line strength and durability, that can resist bite from monster.

Model	Drag(lb)	Dia(mm)	Length(m)
#0.4	7	0.105	100/300/1000
#0.6	8	0.128	100/300/1000
#0.8	9	0.140	100/300/1000
#1.0	10	0.160	100/300/1000
#1.2	11	0.181	100/300/1000
#1.5	16	0.205	100/300/1000
#2.0	24	0.234	100/300/1000
#2.5	28	0.260	100/300/1000
#3.0	35	0.280	100/300/1000
#3.5	40	0.300	100/300/1000
#4.0	44	0.320	100/300/1000
#5.0	50	0.370	100/300/1000
#6.0	60	0.400	100/300/1000
#7.0	70	0.450	100/300/1000
#8.0	80	0.500	100/300/1000



Infinite

INFINITE BRAIDED LINE X8 PE

Material is imported from Japan, smoother, less friction and increase the casting distance.
Super tension and abrasion resistance.
Not easy to fade by permanent dyeing technology, and extend line life time drastically.
Special line coating offer line non-absorbent and dive quickly.

Model	Drag(lb)	Dia(mm)	Length(m)
#0.4	8	0.105	150 / 300 / 1000(10*100)
#0.6	10	0.128	150 / 300 / 1000(10*100)
#0.8	13	0.140	150 / 300 / 1000(10*100)
#1.0	16	0.181	150 / 300 / 1000(10*100)
#1.2	20	0.190	150 / 300 / 1000(10*100)
#1.5	22	0.205	150 / 300 / 1000(10*100)
#2.0	29	0.234	150 / 300 / 1000(10*100)
#2.5	35	0.260	150 / 300 / 1000(10*100)
#3.0	44	0.280	150 / 300 / 1000(10*100)
#3.5	50	0.300	150 / 300 / 1000(10*100)
#4.0	57	0.320	150 / 300 / 1000(10*100)
#5.0	70	0.370	150 / 300 / 1000(10*100)
#6.0	80	0.400	150 / 300 / 1000(10*100)
#7.0	93	0.450	150 / 300 / 1000(10*100)
#8.0	103	0.500	150 / 300 / 1000(10*100)
#10.0	130	0.600	150 / 300 / 1000(10*100)

STICKBAIT
POPPER
MINNOW
VIB
CRANK
METAL JIG
FROG
SOFT BAIT
FISHING ROD
FISHING REEL
FISHING LINE
TERMINAL TACKLE
FISHING BAG
FISHING TOOLS
APPAREL

Infinite



PREMIUM FLUORO CARBON LEADER

Made of high quality Japan carbon material .
High tension, low extensibility,featured good performance when fighting with big fish.
The surface of line is strengthened,durable and non-absorbent.

Model	Drag(lb)	Dia(mm)	Length(m)
#1.0	4	0.17	50
#1.2	5	0.19	50
#1.5	6	0.21	50
#2.0	8	0.25	50
#2.5	10	0.27	50
#3.0	12	0.29	50
#3.5	14	0.31	50
#4.0	16	0.34	50
#5.0	18	0.38	50
#6.0	22	0.41	50
#8.0	30	0.48	50
#10.0	37	0.55	50
#12.0	45	0.60	50
#14.0	55	0.65	50
#16.0	65	0.70	50

NONSUCH



FLUORO CARBON

High purity nylon thread which can dive quickly by the treatment of fluorocarbon coating.
Supper line tension and abrasion resisitance.
Less extensiblility, high toughness,anti-twisting .

Model	Drag(lb)	Dia(mm)	Length(m)
#0.8	4	0.15	100/150
#1.0	6	0.17	100/150
#1.2	7	0.18	100/150
#1.5	8	0.20	100/150
#2.0	10	0.235	100/150
#2.5	12	0.26	100/150
#3.0	14	0.285	100/150
#3.5	16	0.31	100/150
#4.0	18	0.331	100/150
#5.0	22	0.38	100/150
#6.0	24	0.405	100/150
#7.0	28	0.43	100/150
#8.0	32	0.48	100/150
#10.0	36	0.50	100/150




NEW SUPER DUTY HEAVY CLASS TREBLE 7X

Designed for targeting 200kg class Bluefin Tuna & Huge GT. This extremely robust 7X strong wire, hand-forged trebles is one of the strongest hooks around and high penetrating power in tough saltwater conditions.

Model: 35000-7X

Size	Length	Gap	Deep	Eye Dia.	WT. (approx)	Strength	Set
3/0	41.2mm	15.0mm	25.2mm	5.5mm	8.3g	78kg 171lb	6
4/0	44.7mm	16.9mm	25.7mm	5.7mm	9.5g	85kg 188lb	6
5/0	50.0mm	18.8mm	29.0mm	6.4mm	12.2g	100kg 220lb	6
6/0	55.0mm	19.6mm	32.7mm	6.0mm	18.3g	115kg 253lb	4
7/0	60.3mm	22.5mm	36.1mm	7.8mm	25.3g	150kg 330lb	2
8/0	66.4mm	24.4mm	39.9mm	8.5mm	34.2g	200kg 440lb	2




HEAVY DUTY CLASS TREBLE 4X

Designed for saltwater shore/offshore casting, topwater game, and freshwater predator fishing. Target species: Kingfish/Yellowtail, Tuna, GT, Barramundi, Catfish, and more.

ULTRA ANTIRUST

Model: 6066-4X

Size	Length	Gap	Deep	Eye Dia.	WT. (approx)	Strength	Set
1/0	33.1mm	11.6mm	15.6mm	3.9mm	3.1g	40kg 90lb	6
2/0	36.4mm	13.5mm	17.2mm	4.4mm	4.3g	52kg 115lb	6
3/0	39.4mm	14.4mm	19.0mm	5.0mm	5.9g	65kg 145lb	6
4/0	44.7mm	16.9mm	21.7mm	5.6mm	8.2g	85kg 185lb	5



PLUGGING INLINE SINGLE REPLACEMENT 5X

These Inline Single Hooks are designed for saltwater game, and ideal for big lures like plugs and poppers, the extra-wide bend ensures secure hook-ups with strong, fast saltwater species. The enlarged, fully welded eyelet is super strong yet thin, making it easy to attach to small split rings without deformation, ensuring effortless rigging.

Model: 8095-5X

Size	Length	Gap	Deep	Eye Dia.	WT. (approx)	Strength	Set
3/0	36.3mm	18.4mm	23.2mm	4.7mm	2.4g	50kg 110lb	6
4/0	39.4mm	19.8mm	25.7mm	5.4mm	3.3g	57kg 125lb	5
5/0	46.0mm	22.5mm	28.4mm	6.0mm	4.7g	76kg 165lb	5
6/0	49.8mm	24.7mm	31.7mm	6.4mm	6.7g	80kg 175lb	5
7/0	55.4mm	28.0mm	35.7mm	7.2mm	8.0g	94kg 205lb	4



PLUGGING INLINE SINGLE ASSIST HOOK 5X

The Plugging Single HD is a heavy-duty assist hook designed for saltwater lure fishing, perfect for large plugs and poppers. Its extra-wide bend ensures secure hook-ups with strong, fast saltwater species. The hollow-core assist cord allows greater hook movement, enhancing hook-up ratios and reducing the risk of the hook coming loose.

Model: 8062-5X


Size	Length	Hook Length	Gap	Deep	Eye Dia.	WT. (approx)	Strength	Set
4/0	50.5mm	41.1mm	18.9mm	26.0mm	5.0mm	3.6g	68kg 150lb	4
5/0	55.5mm	45.8mm	20.4mm	28.9mm	5.0mm	4.7g	78kg 170lb	4
6/0	59.5mm	54.0mm	23.8mm	34.0mm	5.0mm	7.4g	102kg 225lb	4
7/0	65.9mm	58.2mm	28.0mm	37.4mm	6.0mm	9.4g	148kg 300lb	4



EXTRA HEAVY DUTY JIGGING HOOK – A

Featuring a heavy-duty Ocean loop.
Wide strong Noeby hook with high quality materials.
Splice tying process for perfect presentation and performance.
Noeby's ultra-sharp cutting hook point and the new coating technology.

Size	Line Length	Hook Length	Hook Width	Diameter	SET
3/0	15mm	36mm	16mm	2.38mm	2
4/0	17mm	39mm	18mm	2.58mm	2
5/0	20mm	44mm	21mm	2.88mm	2
6/0	23mm	51mm	24mm	3.38mm	2
7/0	25mm	55mm	28mm	3.78mm	2



HEAVY ASSIST HOOK – B

Perfect for use with a variety of lures including slow pitch jigs, speed jigs, swimming plugs, and more.
The braided line used for the assist is soft and extremely strong at the same time.
Noeby's ultra-sharp cutting hook point and the new coating technology.

Size	Line Length	Hook Length	Hook Width	Diameter	SET
4/0	15mm	39mm	18mm	2.58mm	3
5/0	17mm	44mm	21mm	2.88mm	3
6/0	20mm	51mm	24mm	3.38mm	3
7/0	20mm	55mm	28mm	3.78mm	3



JIGGING ASSIST HOOK – C

Pretied with high quality natural hair that significantly enhances the presentation of the jig in the water.
Equipped with Kevlar assist cord that ensures a proper orientation of the hook, providing a well-balanced flexibility to the cord.
Noeby's ultra-sharp cutting hook point and the new coating technology

Size	Line Length	Hook Length	Hook Width	Diameter	SET
1/0	10mm	23mm	14mm	1.43mm	2
2/0	12mm	27mm	16mm	1.58mm	2
3/0	15mm	32mm	18mm	1.88mm	2
4/0	20mm	36mm	20mm	2.18mm	2
5/0	20mm	42mm	24mm	2.48mm	2



JIG ASSIST HOOK – D

High carbon material, long hook figure, sharp tip, nice corrosion resistance.
Equipped with high strength 16 strands knitted assist cord, not easy to break at fish bitten.
Connection part is glow in the dark, attractive both in the day and at night.
Hook figure are designed in principle of mechanics, avoid friction between hook and wire, reduce breaking probability.


Glitter

Size	Line Length	Line Strength	Hook Length	Hook Width	Diameter	SET
1/0	10mm	220lbs	23mm	11.5mm	1.5mm	2
2/0	10mm	220lbs	25mm	13mm	1.6mm	2
3/0	15mm	286lbs	28mm	14mm	1.7mm	2
4/0	20mm	286lbs	32mm	15mm	1.7mm	2
5/0	20mm	300lbs	35mm	17mm	1.85mm	2
6/0	25mm	300lbs	41mm	19mm	2.25mm	2


Size	Line Length	Line Strength	Hook Length	Hook Width	Diameter	SET
3/0	15mm	286lbs	28mm	13.5mm	1.6mm	2
4/0	15mm	286lbs	32mm	15mm	1.7mm	2
5/0	15mm	300lbs	35mm	17mm	1.85mm	2
6/0	20mm	300lbs	41mm	19mm	2.25mm	2
7/0	25mm	330lbs	45mm	20mm	2.5mm	2



ALL-ROUND VERSATILE TREBLE HOOK-3X STRONG



Size	#1	#2	#4	#6	#8	#10
SET	4	5	5	5	5	5



CATFISH PRO HOOK 6X

The finished 3-sided wire is 20% stronger than a corresponding round wire hook. Rigid and tough, the Triangle Catfish Pro Hook is ideal not only for freshwater monster cats and sturgeon, but also for saltwater surf, reef, and inshore species.

Size	Length	Gap	Diameter	Strength	SET
5/0	51mm	24.7mm	2.3mm	70kg 150lb	5



DARTER JIGHEAD

Conical shaped, hydrodynamic jig head with minimum resistance in the water. Extra gripping claw. Hold slim worm without tearing them. Tin Coating, a sticky sharp needle point allows for deep and quick penetration. With an assist eye, a special eyelet facilitates the use of an additional triple hook. Noeby add an extra gripping claw, a made-of-wire baitkeeper, which secure the silicon lure by getting a firm hold.



Size	Weight	SET
1/0	7g	4
2/0	10g	4



Size	Weight	SET
4/0	28g	3



LEGEND JIGHEAD

Japanese high-carbon steel material, sharp and durable. Advanced multi-layer plating process, corrosion-resistant. Unique shape features the center of gravity is stable, the bait keep 45° up when motionless makes catching fish easily.

Size	Weight	SET
1/0	7g	4
1/0	10g	4
2/0	10g	4



Weight	14g	21g	28g
SET	10	8	6

TEXAS RIG SLIDING SINKER

Due to the angle of the line coming through the sinker, the majority of the weight stays on the bottom, so maintaining better bottom contact means more sensitivity from the overall rig. The softbait float around a bit more compared to a bullet weight that holds the bait down closer to the bottom. A specialized tube is integrated inside the weight to allow it to slide up and down your line freely without fraying or damaging the line.



HEAVY-DUTY ULTRA WIRE SPLIT RING NEW

Super heavy-duty ultra Wire Stainless Split Rings are ideal for connecting hooks to big saltwater lures. Made from the highest quality stainless steel, and it provide a reliable, high strength connection for various heavy duty rigging applications and open easily with any pair of split ring pliers.

Size	Inside	Outside	Wire Dia.	Strength (Center Ring)	Strength (Outer Ring)	WT.	QTY.
#7	7.2mm	9.0mm	1.6mm	165kg 360lb	97kg 210lb	0.8g	14
#8	8.0mm	10.2mm	1.8mm	183kg 400lb	108kg 240lb	1.1g	12
#9	9.0mm	11.6mm	2.0mm	245kg 540lb	145kg 320lb	1.5g	12
#10	10.0mm	13.0mm	2.3mm	283kg 620lb	168kg 370lb	2.3g	10



HEAVY-DUTY HYPER WIRE SPLIT RING

Made of stainless steel, improve the strength of the split ring and make it more resistant to corrosion.

Anti-corrosion treatment is applied to the surface for use in salt water, so there is no need to worry about rust.Quick to "spring-back" after open.

Size	Piter	Inside	Thickness	Drag	SET
5#	7.0mm	5.0mm	0.9mm	30kg/66lb	30
5.5#	8.0mm	5.5mm	1.0mm	42kg/93lb	30
6#	9.0mm	6.0mm	1.2mm	53kg/117lb	30
7#	10.5mm	7.0mm	1.4mm	62kg/137lb	25
8#	12.0mm	8.0mm	1.6mm	80kg/176lb	20
10#	14.3mm	10.0mm	1.8mm	100kg/220lb	15
11#	16.0mm	11.0mm	2.0mm	110kg/242lb	10
12#	17.2mm	11.7mm	2.2mm	130kg/287lb	10




SOLID RING

Compact and strong, creates a solid connection point that works well in conjunction with split rings.For those who can not afford a terminal tackle malfunction,the ring is a premier choice.

Size	Piter	Inside	Thickness	Drag	SET
2#	5.0mm	3.0mm	0.8mm	103kg	50
3#	5.5mm	3.5mm	1.0mm	135kg	50
4#	6.5mm	3.8mm	1.2mm	166kg	50
5#	7.6mm	4.8mm	1.2mm	197kg	50
6#	9.0mm	5.7mm	1.4mm	228kg	50
7#	9.4mm	6.2mm	1.6mm	268kg	50
8#	11.5mm	7.2mm	2.0mm	289kg	40
9#	12.2mm	7.6mm	2.2mm	335kg	40

MAX POWER BB SWIVEL NEW



Built to handle the toughest fights, the MAX POWER BB Swivel delivers unmatched strength with its three-part bearing system, SUS304H balls, and ultra-smooth rotation that eliminates line twist and friction under heavy load. Pairing with the Welded Solid Ring, featuring a thick-wire large-diameter design for even load distribution, high strength, and polished anti-rust finish, this system ensures secure connections, prevents line damage, and maximizes durability against big predators in harsh saltwater conditions.

Size	Length	Inner Dia	WT.(Approx)	Thickness	Strength	QTY.
#3	20.3mm	4.1mm	1.0g	1.1mm	235lb 105kg	4
#4	23.1mm	4.8mm	1.7g	1.2mm	310lb 140kg	4
#5	28.0mm	5.7mm	2.7g	1.6mm	420lb 190kg	4
#6	31.1mm	6.2mm	4.2g	1.6mm	510lb 230kg	3



(BLACK)



(SLIVER)

CRANK BAIT SNAP NBLS7003

Size	Drag(lb)	SET
NBLS7003B-1#	18	18
NBLS7003B-2#	25	18
NBLS7003B-3#	30	18
NBLS7003S-1#	18	18
NBLS7003S-2#	25	18
NBLS7003S-3#	30	18

* B: BLACK S: SLIVER



(BLACK)



(SLIVER)

DUOLOCK SNAP NBS7002

Size	Drag(lb)	SET
NBS7002B-0#	12	18
NBS7002B-1#	18	18
NBS7002B-2#	25	18
NBS7002B-3#	30	18
NBS7002S-0#	12	18
NBS7002S-1#	18	18
NBS7002S-2#	25	18
NBS7002S-3#	30	18

* B: BLACK S: SLIVER



(BLACK)



(SLIVER)

DUOLOCK SWIVEL SNAP NBR7001

Size	Drag(lb)	SET
NBR7001B-3*3	30	12
NBR7001B-6*1	18	12
NBR7001B-7*1	18	12
NBR7001B-8*0	12	12
NBR7001S-3*3	30	12
NBR7001S-6*1	18	12
NBR7001S-7*1	18	12
NBR7001S-8*0	12	12

* B: BLACK S: SLIVER

Voyager

Big Game Carbon Fiber Fishing Gaff



Shaft Material	Shaft Length	Section	Hook Material	Hook Width	Hook Dia.
Carbon Fiber	4'8" (143cm)	1	316L Stainless Steel	10cm	10mm



LEGEND TACKLE BAG B

(inner size: 34*20*11cm)

Safety clasp be attached to the small accessory kit.
Making with Imported fabric material and equipped with safety buckle.
Waterproof and anti-fouling, prevent the fishing accessories from being corroded by sea water effectively.



Black camo Fluorescent green Space army Desert camo Space gray



LEGEND BOAT BAG

(inner size: 28X12X23cm)

Excellent workmanship and perfect surface. Oxford fabric is wear-resistant, the shoulder belt and belt can be adjusted to suit all kinds of people. The bottom with a rubber protective layer to protect the inner equipment effectively.



Classic black Digital camouflage Wood camouflage

STICKBAIT

POPPER

MINNOW

VIB

CRANK

METAL JIG

FROG

SOFT BAIT

FISHING ROD

FISHING REEL

FISHING LINE

TERMINAL TACKLE

FISHING BAG

FISHING TOOLS

APPAREL



#105

Special craft stainless steel mouth, easy to take and change hooks.Sharp and strong tungsten steel blade, easy to cut various fishing line.

Model	Length	Weight
#105	178mm	124g



#106

Lengthened clamp eases to remove hooks.Sharp and strong tungsten steel blade, easy to cut various fishing line.The handle is made of preservative aviation aluminum, and the light weight is portable.

Model	Length	Weight
#106	200mm	134g



#101

Curved clamp head, easy to take, change hook and cut line.Easily operated by one hand cause by the spring on both sides.

Model	Length	Weight
#101	130mm	62g



#102

This is a multi-function plier to help anglers to enjoy sports. Easily operated by one hand cause by the spring on both sides. Mult-function sharp cutters in the handle special for cutting and scraping.

Model	Length	Weight
#102	160mm	123g



#110

Designed for the small split ring of mini lures ,the jaws are small and can easily open split ring with 2mm diameter. Made of stainless steel, high strength and corrosion resistance.

Model	Length	Weight
#110	138mm	53g



#201

Classic designed products with stainless steel material, solid and durable.

Model	Length	Weight
#201	220mm	124g



#202

Folding model, flexible operating, convenient to carry. The grip lip has a bigger closed force for special clamp. Can trigger the switch by one hand, which is simple and convenient.

Model	Length	Weight
#202	280mm	190g



PR BOBBIN KNOTTER

Metal threading pipe, the cut is smooth and does not hurt the line,the telescopic design is freely adjustable. Adjustable resistance bottom, non-slip thread esign, adjust the transport speed as needed, The double rubber ring of the clamping groove is designed to prevent the fishing line from slipping.

Size	28*31*75mm
------	------------

ROD WRAP BELT NEW

This rod belt is the perfect way to secure multiple rods together safely, without banging around and causing damage. The belt is made from super durable neoprene material and is secured to itself with a Velcro tab.



L: 350X80mm



M: 320X50mm



S: 250X30mm



Set	QTY
M+L	M *1, L *1
S+S	S *2



SPINNING

BAIT CASTING

REEL BAG

Thickened elastic material, better protect the fishing reels. Velcro clip, stick firmly and convenient to use.

Size	Length	Width	Reel Size
SPINNING - M	120mm	125mm	500-3000
SPINNING - L	180mm	130mm	1000-4000
SPINNING - XL	185mm	160mm	5000-10000
SPINNING - XXL	215mm	165mm	10000-20000
CASTING - S	100mm	100mm	100-200
CASTING - M	140mm	130mm	100-300



HEADWEAR

Using high cotton yarn fabric, comfortable and breathable. Adopted the imported steaming and pressing technology to ensure the products are not deformed for the long term.

Cap Size	Circumference
M	54-59cm
L	56-62cm



3D SUN MASK


Ice silk fabric, ice silky cool, light and breathable. UV UPF 50+ protection, care for the skin.



NANOCLAW NEW POWERED GLOVE

HOT WEATHER

DESIGNED FOR CASTING & JIGGING GAME



(Light Fabric)

- Nanogrip Palm With Nano-Scale Bumps
- Reinforced Thumb And Index Finger
- 2-Way Stretch Honeycomb Wicks Sweat & Dries Really Fast
- Micro Perforations Increase Ventilation

Size	Hand Around	Color
L	20-23.5cm/7.8-9.2in	Light Grey
XL	21.5-24.5cm/8.9-10.5in	Light Grey



* Please allow 1-2cm measuring deviation due to manual measurement.



NANOCLAW NEW POWERED GLOVE

ALL WEATHER


DESIGNED FOR CASTING & JIGGING GAME



(Regular Fabric)

- Nanogrip Palm With Nano-Scale Bumps
- Reinforced Thumb And Index Finger
- Breathable & Dry Fast Lightweight Fabrics
- Micro Perforations Increase Ventilation

Size	Hand Around	Color
L	20-23.5cm/7.8-9.2in	Black
XL	21.5-24.5cm/8.9-10.5in	Black



* Please allow 1-2cm measuring deviation due to manual measurement.



DESIGNED FOR DEMANDING POWER-GAME FISHING (TUNA, GT, KINGFISH),
THE NANOCLAW POWERED GLOVE OFFERS EXCEPTIONAL GRIP, DURABILITY, AND FLEXIBILITY IN TOUGH CONDITIONS.



NANOCLAW NEW UTILITY GLOVE

ALL WEATHER


DESIGNED FOR ALL-PURPOSE FISHING



(Regular Fabric)

- Nanogrip Pads At Finger Base With Nano-Scale Grip Bumps
- Micro Fleece Sweat Wipe
- Breathable & Dry Fast Lightweight Fabrics
- Micro Perforations Increase Ventilation

Size	Hand Around	Color
L	20-23.5cm/7.8-9.2in	Grey
XL	21.5-24.5cm/8.9-10.5in	Grey



* Please allow 1-2cm measuring deviation due to manual measurement.



UTILITY FISHING GLOVES ARE A GREAT ALL-PURPOSE FISHING GLOVE, WITH EXCELLENT TACTILITY AND DEXTERITY.



G01

G02

PRO ANGLING GLOVES A

The UPF 50+ and SPF UV Protect your hands from sunburn, skin toughening and aging.
Ultra-Comfortable Ice Elastic Breathable Fabric, breathable quick drying fabric provide comfort and keeps you cool and dry.
Anti-slip and Anti-abrasion, providing better grip on the fishing rod in damp or sweaty conditions.
Hook and loop closure design.

Size	Hand Around	Color
M	17-21cm/6.7-8.2in	Grey/Multi-color
L	20-23.5cm/7.8-9.2in	Grey/Multi-color
XL	21.5-24.5cm/8.9-10.5in	Grey/Multi-color



G05

ALL-PURPOSE FISHING GLOVES C

Built from heavy-duty, quick-drying material that will not only protect you whilst handling fish, but is also comfortable and easy to wear from dawn to dusk.
UPF50+ Syn UV Protection, protect your hands and wrists from harmful sun's UV rays.
Superior breathable ventilation, anti-slip and anti-abrasion.
Hook and loop closure design.

Size	Hand Around	Color
M	17-21cm/6.7-8.2in	Grey
L	20-23.5cm/7.8-9.2in	Grey
XL	21.5-24.5cm/8.9-10.5in	Grey



G06

3D FIGHTING GLOVES D

Ideal for casting and jigging for Tuna, Kingfish, and GT.
Noeby's 3D cutting technique shapes these gloves to the exact natural shape of a real hand. The fingertips and thumb have been reinforced with long days of casting and the palm of the glove has an extra layer of material sewn on with hexagonal shaped grip to maintain contact and prevent slippage when wet.

Size	Circumference in cm	Circumference in inches
L	23-24cm	9"-9.5"
XL	25-26cm	9.75"-10.25"
XXL	27-28cm	10.5"-11.25"



* Please allow 1-2cm measuring deviation due to manual measurement.



SUN PROTECTION HOODIE NEW

Featuring an improved, full-coverage hood design, the Voyager Sun Protection Hoodie combines naturally wicking UPF50 fabric with easy-breathing back and underarm panels for maximum comfort in hot, sticky fishing conditions.




QUICK DRY SHORT SLEEVE POLO SHIRT NEW

Made from 100% polyester dry fabric, this polo shirt absorbs moisture and dries quickly to help keep you comfortable during long days outdoors. It also offers UV protection and a lightweight, breathable feel. Wear it on its own or layer it over a base layer when needed.

Unit: cm

Size	S	M	L	XL	2XL	3XL	4XL
Center Back Length(B)	68.7	70.2	71.7	73.2	74.7	76.2	77.7
Chest(C)	56.5	58	59.5	61	62.5	64	65.5
Neck Circumference(K)	62	63.4	64.8	66.2	67.6	69	70.4
Half Crown Height(M)	35	35.5	36	36.5	37	37.5	38
Half Crown Width(N)	28.5	29	29.5	30	30.5	31	31.5

*Note:The data is measured manually,please forgive me if there is any error.



#12 SHIRT

Mesh design, dry, comfortable, breathable and quick-drying. Made of high-quality Nano polyester fiber material, anti UV effectively. Three-dimensional cut, fit the human body well. Anti-friction printing, nonfading.



#01 SHIRT

Mesh design, dry, comfortable, breathable and quick-drying. Made of high-quality Nano polyester fiber material, anti UV effectively. Three-dimensional cut, fit the human body well. Anti-friction printing, nonfading.



#04 SHIRT

Mesh design, dry, comfortable, breathable and quick-drying. Made of high-quality Nano polyester fiber material, anti UV effectively. Three-dimensional cut, fit the human body well. Anti-friction printing, nonfading.



#03 JACKET

Waterproof coating and windproof structure, special for outdoor sports. Velvet lining is comfortable and breathable. Bottom pull rope keep warm effectively. Safety and convenient built-in pocket, large capacity.

Unit: cm

Size	S	M	L	XL	2XL	3XL	4XL	5XL
Center Back Length	61	63	65	70	72	75	77	79
Chest	43	45	47	53	57	60	63	66
Sleeve Length	56	57	58	61	63	65	67	69
Sleeve Opening (Long Sleeve)	11	11.5	11.5	12	12	13	13	14
Sleeve Length (Short Sleeve)	18	18	18	20	20	20	20	20

*Note:The data is measured manually,please forgive me if there is any error.