

FISHING RODS

Fuji SiC								Fuji Alconite							
ARTISAN				JACKDAWS				Voyager				Infinite			
TORAYCA FIBRE				TORAYCA FIBRE				TAK + TORAYCA FIBRE				TORAYCA			
Bluefin Tuna	Offshore Casting Popping	Shore Casting	Travel	Light Jigging	Offshore Casting Popping	Shore Casting	Light Shore Jigging	Slow Jigging	Jigging	Light Jigging	Travel	Slow Jigging	Jigging	Sea Bass	Fresh Water

Fuji O											
BEAST						NONSUCH					
PYROFIL + TORAYCA FIBRE						PYROFIL					
Light Game	EGI	Shore Jigging	Blue Water	Power Game	Float Tube	Travel	Jigging	Boat Squid	Light Boat Game	Fresh Water	

Fuji O						Standard				
SURF MASTER						LEISURE				
PYROFIL						K				
Surf						Jigging	Slow Jigging	Trolling	Fresh Water	



Built for rock-shore and shore-jigging anglers chasing large pelagic fish and a wide range of other species. Its versatile action works both plugs and jigs with confidence. Powerful and full of torque, it gives anglers the control needed to keep the advantage when fishing from difficult, uneven ground.

ATS9605MH

A balanced 9ft 6 MH model for shore bluewater fishing, built for comfortable all-day casting and direct lure control. Its soft tip works a wide range of plugs naturally, while the powerful butt section gives metal jigs a sharp action. The most versatile rod in the series, it is equally dependable as a main rod or as a backup for trips targeting larger fish.


ATS9605H

The most versatile models in the series, an H-power rod with the easy handling of a 9'6" class blank. Slim, lightweight, and highly responsive, it casts heavy jigs with ease and gives clean control when working jigs in strong current. It is not simply a stiff rod. The responsive blank works a wide range of plugs with precise control, while loading smoothly under pressure and delivering fast lifting power when needed.

ATS9605XH

Built around 10-15kg class pelagic fish, it handles diving pencils up to around 220 mm, medium cup-faced poppers, and jigs up to 150g. Its firm, responsive blank gives one rod the versatility to cover different approaches. When an unexpected big fish takes the lure, the blank delivers fast lifting power and strong torque for keeping fish away from the reef edge.

Load 3kg



- When operating the rod at 45 degrees, steady and smooth rebound helps to turn the paused fish quickly towards the angler and let him retrieve immediately, this can decrease the physical power consumption effectively.
 - It allows anglers to run high drag pressures on the rods. The extremely strong, elastic T1100G carbon incorporated in the blank translates this pressure into lifting power for the
- *These images do not fully capture the rods' potential or characteristics. They were taken under limited conditions with gentle weight applied, so the instantaneous repulsion force and handling feel are not shown.



ARTISAN

Build For Professional Anglers

NEW

TRAVEL POPPING



A multi-piece casting rod built for anglers who travel in search of big fish at home and around the world. Designed for a wide range of target species and destinations, it gives travelling anglers the confidence to fish wherever the next opportunity takes them.

ATP83MH/3

Designed for PE6 line and medium-sized GT, kingfish, and yellowfin tuna. It works diving pencils around 200 mm, small cup-faced poppers, and sinking pencils with ease.
Recommended reel size: 6000–14000.

ATP83H/3

Designed for PE8 line and larger GT, kingfish, and yellowfin tuna. Its fast taper is built for anglers who want to apply strong pressure and lift fish quickly. Comfortable with diving pencils, poppers, and heavy sinking pencils around 220 mm.
Recommended reel size: 14000–20000.


ATP82XH/3

Designed for PE10 line and large GT, monster kingfish, and tuna. With a fast, powerful taper, it is made for heavy-pressure fights. It handles diving pencils around 250 mm, large cup-faced poppers, and heavy sinking pencils.
Recommended reel size: 14000–20000.

ATP83MH/3

ATP83H/3

ATP82XH/3



*These images do not fully capture the rods' potential or characteristics. They were taken under limited conditions with gentle weight applied, so the instantaneous repulsion force and handling feel are not shown.

- When operating the rod at 45 degrees, steady and smooth rebound helps to turn the paused fish quickly towards the angler and let him retrieve immediately, this can decrease the physical power consumption effectively.
- It allows anglers to run high drag pressures on the rods. The extremely strong, elastic T1100G carbon incorporated in the blank translates this pressure into lifting power for the angler.



A
915
cm



ATP83MH/3

Middle Class

Length: 8'3" (2.51m)
C.Length: 91.5cm
Weight: 383g
Action: R
Line:
50–140g
Line:
Max PE6
Drag Max:
17kg/45°

A
915
cm



ATP83H/3

Heavy Class

Length: 8'3" (2.51m)
C.Length: 91.5cm
Weight: 386g
Action: R
Line:
60–160g
Line:
Max PE8
Drag Max:
18kg/45°

A
830
cm



ATP82XH/3

Heavy Class


Length: 8'2" (2.49m)
C.Length: 91.5cm
Weight: 408g
Action: R
Line:
Max 180g
Line:
Max PE10
Drag Max:
20kg/45°

Built for travelling anglers who want to take on big fish anywhere in the world.

The Artisan Travel Jigging series is tough enough for serious offshore work, yet packs down to under 70 cm for easy travel.

ATJ603S/210, ATJ603C/210

A standard model for amberjack, kingfish, and yellowfin tuna in water around 100 m deep, using jigs up to 210 g. Designed for vertical jigging and drift fishing, it gives the angler clean upward jig action with less physical effort. Designed for fish in the 15 kg+ class.



- When operating the rod at 45 degrees, steady and smooth rebound helps to turn the paused fish quickly towards the angler and let him retrieve immediately, this can decrease the physical power consumption effectively.

*These images do not fully capture the rods' potential or characteristics. They were taken under limited conditions with gentle weight applied, so the instantaneous repulsion force and handling feel are not shown.

ATJ603S/320, ATJ603C/320

A high-power model for larger fish in water around 120 m deep, using jigs up to 320 g. Its short length reduces the physical strain often associated with heavy jigging rods, allowing anglers to work jigs comfortably for longer. Designed for fish in the 20 kg+ class.



ATJ603C 210	ATJ603S 210	ATJ603C 320	ATJ603S 320
Length: 6'0" (1.83m)	Length: 6'0" (1.83m)	Length: 6'0" (1.83m)	Length: 6'0" (1.83m)
C.Length: 68cm	C.Length: 68cm	C.Length: 68cm	C.Length: 68cm
Weight: 235g	Weight: 224g	Weight: 253g	Weight: 244g
Action: R	Action: R	Action: R	Action: R
Lure: Max 210g	Lure: Max 210g	Lure: Max 320g	Lure: Max 320g
Line: Max PE4	Line: Max PE4	Line: Max PE6	Line: Max PE6
Drag Max: 13kg/45°	Drag Max: 13kg/45°	Drag Max: 15kg/45°	Drag Max: 15kg/45°

Travel Series

BEAST

CONCEPT PYROFIL TORAYCA

TRAVEL SHORE JIGGING

Highly Versatile Models for a Wide Range of Situations with Finesse Performance

These are well-balanced models that combines castability, controllability, and fighting performance for your land-based blue-runner fishing.

The MH and H class rods are the main power models for anglers targeting blue runners off the rocks. The standard 9'6" length allows anglers to cast continuously throughout the day with less stress, while casting and controlling lures with ease. The wide release point during casting helps achieve consistent long-distance casts, and the soft tip combined with a powerful butt section enables anglers to work various plugs and control jigs effectively.

BEAST TRAVEL SHORE JIGGING

Model	Length	Sec.	C.Length (cm)	Jig	Line WT.	Tip Dia. (mm)	Action	Weight (g)	Guide Drag/45°
NBTS810SMH	8'10" (2.70m)	5	60.5	Max 80g	Max PE3	2.2	RF	286	7+1 10kg
NBTS960SMH	9'6" (2.90m)	5	63	Max 80g	Max PE3	2.2	RF	290	8+1 10kg
NBTS960SH	9'6" (2.90m)	5	63	Max 120g	Max PE5	2.5	RF	319	8+1 12kg




BEAST TRAVEL SHORE CASTING

Model	Length	Section	C.Length (cm)	Lure WT.	Line WT.	Tip Dia. (mm)	Action	Weight (g)	Guide Drag/45°
NBTS9605XH	9'6" (2.90m)	5	67.8	Jig Max 150g Plug Max 120g	Max PE6	2.5	RF	340	7+1 14kg

High-Power & Highly Responsive XH Blank for Versatile Lure Control


Anglers will be surprised how easily it casts heavy jigs, while still letting you control them smoothly with your rod action. It's not just a stiff rod. The responsive blank gives you good control over different hard lures, and its natural bend helps you lift fish to the surface more easily.



Travel Series

Voyager TRAVEL POPPING

The characteristics of the Voyager Travel Popping series can be summarized as having a sharp casting feel while smoothly bending in once the rod is loaded with the fish. Anglers can choose from a wider range of options based on sea conditions, lure size, and target species.



Model	Length	Section	C.Length (cm)	Lure WT.	Line WT.	Tip Dia. (mm)	Action	Weight (g)	Drag/45°
VTP83MH/3	8'3"(2.51m)	3	91.5	50-140g	Max PE6	2.9	R	368	17kg
VTP83H/3	8'3"(2.51m)	3	91.5	60-160g	Max PE8	3.0	R	371	18kg
VTP82XH/3	8'2"(2.49m)	3	91.5	Max 180g	Max PE10	3.2	R	396	20kg
VTP83H/5	8'3"(2.51m)	5	64.5	50-160g	PE 5-8	3.1	R	460	19kg

Heavy Class

VTP83MH/3

-PE 6

It works best with diving pencils, small diving poppers and other low-resistance plugs. When the rod is loaded deeply, power builds smoothly into the butt section, giving the angler strong control over big fish. The blank has a crisp feel, but still loads well when casting into wind. During the fight, the rod keeps enough bend to hold pressure on the fish. This helps the angler stay balanced and use body weight more naturally.



Heavy Class

VTP83H/3

-PE 8

Compared with the 83MH/3, it has a sharper and stronger blank. It works large diving pencils, medium poppers and sinking pencils with less effort, and gives the lure a clean, sharp action. The blank recovers fast after each cast, so repeated casting feels lighter and more comfortable. In the fight, the rod responds quickly and helps the angler keep pressure on the fish. It also has enough stopping power for reefs, shallow water and structure. This makes it a strong choice when the angler needs to move the fish fast, but still wants the rod to bend and absorb pressure.



Heavy Class

VTP82XH/3

-PE 10

The PE10 class Voyager Travel rod is a three piece powerhouse built for monster GT, large kingfish, and other saltwater giants. Its sharp, highly resilient blank delivers instantaneous force, effortlessly casting and maneuvering diving pencils and medium poppers up to 180g with offshore level power and durability. This rod does not sacrifice any strength despite its three piece design and holds firm under immense strain, while the blank's crisp action reduces fatigue during all day casting and provides precise control in shallow or structure filled waters.



Main Target: Tuna, Kingfish, GT

Drag Max: 17kg/45° Length: 8'3"(2.51m)
 Suitable Reel Size: 8000-14000 Lure: 50-140g
 Reel Seat: DPS #20(Fuji)Up Lock Action: Regular
 Grip End: Fuji BRC 22.0R

Main Target: Tuna, Kingfish, GT

Drag Max: 18kg/45° Length: 8'3"(2.51m)
 Suitable Reel Size: 10000-14000 Lure: 60-160g
 Reel Seat: DPS #20(Fuji)Up Lock Action: Regular
 Grip End: Fuji BRC 22.0R

Main Target: GT, Tuna

Drag Max: 20kg/45° Length: 8'2"(2.49m)
 Suitable Reel Size: 10000-20000 Lure: Max 180g
 Reel Seat: DPS #20(Fuji)Up Lock Action: Regular
 Grip End: Fuji BRC 22.0R

STICKBAIT
POPPER
MINNOW
VIB
CRANK
METAL JIG
FROG
SOFT BAIT
FISHING REEL
FISHING ROD
FISHING LINE
TERMINAL TACKLE
FISHING BAG
FISHING TOOLS
APPAREL

Travel Series

Heavy Class

VTP83H/5

PE 5-8

The PE10 class Voyager Travel rod is a three piece powerhouse built for monster GT, large kingfish, and other saltwater giants. Its sharp, highly resilient blank delivers instantaneous force, effortlessly casting and maneuvering diving pencils and medium poppers up to 180g with offshore level power and durability. This rod does not sacrifice any strength despite its three piece design and holds firm under immense strain, while the blank's crisp action reduces fatigue during all day casting and provides precise control in shallow or structure filled waters.

Main Target: GT, Tuna

Drag Max: 19kg/45°

Suitable Reel Size: 10000-18000


Reel Seat: DPS #22(Fuji) Up Lock

Grip End: Fuji BRC 22.0R

Length: 8'3"(2.51m)

Lure: 50-160g

Action: Regular





BENDING CURVES


VTP83MH/3

VTP83H/3

VTP82XH/3



NXT-JOINT TECHNOLOGY - PERFECT CURVE, NO DEAD SPOTS



Travel Series

BEAST



CONCEPT




PYROFIL

TORAYCA

TRAVEL JIGGING

With NXT-Joint technology, the Beast Travel Jigging series are most suitable for fast pitch jigging in most scenarios, especially for larger sized pelagic species.

Model	Length	Section	C.Length (cm)	Lure WT.	Line WT.	Tip Dia. (mm)	Action	Weight (g)	Guide	Drag/45°
Bait Model										
BTJ603C/210	6'0"(1.83m)	3	68	Max 210g	Max PE4	2.2	R	221	8+1	13kg
BTJ603C/320	6'0"(1.83m)	3	68	Max 320g	Max PE6	2.4	R	235	8+1	15kg
Spinning Model										
BTJ603S/210	6'0"(1.83m)	3	68	Max 210g	Max PE4	2.2	R	211	6+1	13kg
BTJ603S/320	6'0"(1.83m)	3	68	Max 320g	Max PE6	2.4	R	226	6+1	15kg



These are versatile sticks to cover various method of jigging such as horizontally or vertically with around PE4. Thanks to sharpness and lightness of this blanks, you can enjoy manipulating your jig as you wish to. If you aim yellowtail or kingfish with metal jig up to 180g on 50~100m depth of water, the potential of 210g models will be shown definitely. Although blanks of rod seems slim and delicate, fish will be stopped and lifted by butt section which have been loaded massive power.



Tip section have been adjusted to become little flexible for increasing ability of manipulation and reducing burden of anglers when they jerk aggressively. Once huge fish on, you will notice that it bends very smoothly and you might forget that it is 3pcs grip jointed. When you fish at fish bed with rough bottom or shallow area to aim tough target, you do not have to afraid to let it stop forcefully and aggressively without losing your initiative while taking advantage of powerful butt section.

ENGINEERED GUIDE LAYOUT FOR PEAK CONVENTIONAL PERFORMANCE




Compared to Fuji regular KW frames, the conventional models use high foot LC frame guides, especially when matched with large size reels:

1. This reduces the sharp angle between the reel and first guide, lowering friction and heat during long fights or retrieves, and helps protect the PE line.
2. Under heavy load, it also prevents the rod from rubbing against the line when the rod is lifted at a high angle.




NXT-JOINT TECHNOLOGY - PERFECT CURVE, NO DEAD SPOTS



BENDING CURVES

* Spinning rod line limit (1000g) and head the same cosmetics and build quality as the Conventional rods.



STICKBAIT
POPPER
MINNOW
VIB
CRANK
METAL JIG
FROG
SOFT BAIT
FISHING ROD
FISHING REEL
FISHING LINE
TERMINAL TACKLE
FISHING BAG
FISHING TOOLS
APPAREL

Travel Series

BEAST

CONCEPT PYROFIL TORAYCA
TRAVEL EDITION

Designed for ease of use while traveling the globe, the Beast Travel Edition goes head to head with the big fish of the world. Though built in four or five pieces for portability, these rods retain the sensitivity and action of one-piece blanks, making them ideal for versatile fishing in remote destinations.



Model	Length	Sec.	C.Length	Lure WT.	Line WT.	Tip Dia.	Action	Weight	Guide	Drag/45°
Casting Model										
BTC604MH	6'0" (1.83m)	4	51cm	10-55g	Max PE4	2.2mm	XF	140g	8+1	9kg
BTC705MH	7'0" (2.13m)	5	48.5cm	10-55g	Max PE4	2.2mm	RF	152g	9+1	9kg
Spinning Model										
BTS705MH	7'0" (2.13m)	5	48.5cm	10-55g	Max PE4	2.2mm	RF	137g	8+1	9kg

CASTING

BTC 604MH
4PCS

A must-have rod for worldwide freshwater boat fishing, it offers solid control and ample power. The tenacious, high-torque construction far surpasses that of normal bass rods. This model provides the exceptional mobility needed to lure targets in close combat using topwaters. This 6'0" extra fast action rod excels in accuracy, allowing pinpoint targeting.



CASTING

BTC 705MH
5PCS

BTC705MH models are medium-heavy power, five-piece rods designed with a regular fast tip section to control a variety of lure types. They also feature strong butt sections, giving anglers the ability to battle large gamefish species. With a versatile 7'0" length, this model enables anglers to pursue their quarry from both boat and shore.




SPINNING

BTS 705MH
5PCS



Featuring a powerful new blank with abundant torque and recovery, the BTS705MH excels as an all-rounder spinning rod with exceptional long-distance castability. It easily casts 40g bait while controlling lures from 10g to 55g, delivering versatile performance. Its 7'0" length enables effective fishing from both boat and shore, and the long grip design is ideal for big bait casting and battling monster fish.



NXT-JOINT TECHNOLOGY - PERFECT CURVE, NO DEAD SPOTS



BENDING CURVES



Travel-Friendly As shown in the above image 20" Carry-on Luggage

Long enough to fit into a suitcase for expedition fishing.



The new Artisan series is built around one key strength: casting distance. As the flagship model in the NOBY boat-casting range, the Artisan series uses carefully selected guides, components, and finishes. Its responsive blank loads smoothly and releases power cleanly, helping anglers make long, controlled casts. During the fight, the blank transfers smoothly from loading up to lifting power, allowing anglers to apply steady pressure when it matters.

TORAY TORAYCA® T1100G

TORAYCA® T1100G is a high-strength carbon fibre developed with nano-level fibre control technology. It combines strength and stiffness while helping keep the blank light in hand. This gives the Artisan series the balance of casting performance, responsiveness, and lifting power needed for offshore fishing.

Guide System and Components

- All models are fitted with Fuji SIC-S titanium RV guides for smooth line release and reduced line trouble.
- The Fuji T-RV butt guide uses the RV's angled frame design to help line flow cleanly during the cast.

Light Class AP76ML Lure: 30-100g Line: Max PE5

Inshore Casting Model
A short-length inshore casting rod built for easy casting and direct lure control. Despite its compact length, it is rated for PE3-PE5 line and 40-100 g plugs. Suitable for 5000-10000 size reels, it has the power to handle hard-fighting pelagic species over 10 kg and tuna in the 30 kg class.

Light Class AP83ML Lure: 30-100g Line: Max PE5

A versatile 8'3" medium boat casting rod for PE3-PE5 lines and 40-100 g lures. It balances casting distance with easy lure control, while the added length helps manage fish close to the boat and works well with longer leaders. Built for topwater fishing for mahi-mahi, yellowtail, kingfish, and mid-sized tuna. It handles everything from smaller plugs to larger topwater lures, with the power needed when longer casts and stronger fish are expected. It is easy to manage when fish dive close to the boat, and the extra reach is useful when fishing with longer leaders. Recommended reel size: 5000-10000.

Light Class AP86M Lure: 25-120g Line: PE3-6

A lightweight, high-balance model for Yellowfin Tuna and Kingfish topwater fishing with diving pencils. Its sensitive yet forgiving tip helps keep lure action clean, while the blank has enough firmness to create an effective pause and trigger bites. The strong butt section provides lifting power around rough reef and structure, while the ML blank delivers long, effortless casts with less fatigue. Ideal when fish are feeding on small bait. The T1100G blank loads smoothly and casts lightweight plugs around 180 mm to distant targets. It also handles unexpected larger fish and works well for bonito casting with jigs around 40g.

Middle Class AP86MH LC Lure: 50-140g Line: PE3-8

A versatile long-cast model for medium-large Yellowfin Tuna and Kingfish boat casting. Built around casting feel, lure control, and fighting power, it handles medium-heavy diving pencils and diving poppers around 200 mm—even when casting into the wind. The crisp blank gives direct lure control and clear feedback in difficult conditions. Under load, it bends deep enough to keep steady pressure on the fish, then responds quickly with strong lifting power. Ideal for Yellowfin Tuna and powerful kingfish in shallow water.

Heavy Class AP88H Lure: 45-170g Line: PE6-10




The AP88H is a standard H-power model designed for a wide range of offshore long casting situations. It is built to cast diving pencils and pencil poppers in the 160-220 mm range with confidence, delivering a sharp, clean release and the distance needed to cover open water. Its responsive blank gives anglers direct control over lure action without feeling heavy or slow. When a fish is hooked, the AP88H loads smoothly and provides the power needed to keep pressure on hard-running fish. It is a dependable main rod for yellowfin tuna, kingfish, and other offshore casting targets.

Power Class AP80H Lure: 40-160g Line: PE6-10

With more lifting power than the AP88H, the AP80H is built for anglers targeting tuna over 100 kg and other serious offshore game fish. This heavy versatile model is designed for high-resistance lures, including large poppers and diving pencils. It has the power for hard fights and strong lifting pressure, while its tip is tuned to remain practical with a wide range of plugs. Once connected, the AP80H's powerful, high-torque blank is made to control the hard runs of fast pelagic fish.

Power Class AP77XH Lure: Max 180g Line: PE8-12

Designed with 150 kg+ yellowfin tuna in mind, the AP77XH is built for serious offshore work. It is made to handle the larger lures commonly used when tuna are feeding on Mahi mahi. At the same time, it can still cast and work lighter, more streamlined lures such as 60 g sinking pencils. The AP77XH has strong butt power for applying pressure to powerful fish. Its bend profile brings more of the load closer to the angler, helping prevent the rod from being pulled straight during hard tuna runs. This also reduces strain on the upper body and lower back, making long fights more manageable.



						
TUNA GAME AP76ML Light Class	TUNA GAME AP83ML Light Class	TUNA GAME AP86M Light Class	TUNA GAME AP86MH LC Middle Class	TUNA GAME AP88H Heavy Class	TUNA GAME AP80H Power Class	TUNA GAME AP77XH Power Class
Length: 7'6" (2.29m) C.Length: 164cm Weight: 316g Lure: 30-100g Line: Max PE5 Drag Max: 18kg/45°	Length: 8'3" (2.51m) C.Length: 186cm Weight: 336g Lure: 30-100g Line: Max PE5 Drag Max: 17kg/45°	Length: 8'6" (2.59m) C.Length: 190cm Weight: 371g Lure: 25-120g Line: PE3-6 Drag Max: 15kg/45°	Length: 8'6" (2.59m) C.Length: 193cm Weight: 369g Lure: 50-140g Line: PE3-8 Drag Max: 17kg/45°	Length: 8'8" (2.64m) C.Length: 189.5cm Weight: 390g Lure: 45-170g Line: PE6-10 Drag Max: 20kg/45°	Length: 8'0" (2.44m) C.Length: 170.5cm Weight: 389g Lure: 40-160g Line: PE6-10 Drag Max: 30kg/45°	Length: 7'7" (2.31m) C.Length: 157.5cm Weight: 390g Lure: Max 180g Line: PE8-12 Drag Max: 30kg/45°

Heavy Class AP82XH LC Lure: Max 190g Line: PE5-8


The AP82XH LC is for anglers who want to reach further. It is a long-cast model for situations where distance is essential, especially when casting into the wind. However, casting distance is not its only strength. It is also comfortable to work with poppers, diving poppers, and other topwater lures.

The Nano blank gives the rod a crisp, responsive feel. It helps anglers pick up subtle changes in current through the line and lure, while providing fast lifting power when a fish is hooked.

Power Class AP710XXH Lure: Max 230g Line: PE6-10

Built for the biggest cup-faced poppers and large pencils up to around 300 mm, this is a specialist GT rod for serious conditions. Its firm tip-to-belly section gives direct control over high-resistance lures, while the powerful blank provides the lifting force needed to turn big fish away from danger.

The responsive blank works hard under load, helping anglers apply steady pressure and lift fish when every metre matters. It is ideal for short-popping large poppers, working oversized pencils, and targeting GT when big lures are producing.



GT GAME AP82XH LC

Length: 8'2" (2.49m)
C.Length: 179cm
Weight: 388g
Lure: Max 190g
Line: PE5-8
Drag Max: 20kg/45°

GT GAME AP710XXH

Length: 7'10" (2.39m)
C.Length: 165.5cm
Weight: 400g
Lure: Max 230g
Line: PE6-10
Drag Max: 30kg/45°

Voyager



OFFSHORE CASTING / POPPING

Our mission was to create an offshore casting rod that is lighter, perfectly balanced, offers a light casting feel, and is equipped with outstanding butt power to handle massive fish.

We focused on casting ability as the most important aspect, obviously the key factor when venturing into casting game fishing. The light yet highly resilient blank possesses the power suited to the demands of the evolving offshore fishing scene.

By combining different carbon sheet materials with a unique taper design and underlying butt power, we realized the Voyager Offshore Casting Series, capable of enduring extreme loads while providing the power to lift fish from deep water. All models are unique from each other, yet all are equipped with outstanding performance.



TUNA GAME

Light Class

VP86M

PE 3-6

Rods that consolidate all the elements required for Tuna game, such as lightness, balance, tenacity, and long cast.

The Tuna 86M is not a light-tackle rod. It is tough and flexible, designed as a new generation of tuna rods. It allows anglers to cast small lures a long distance using PE3-6 lines and 25-120g lures. With its smooth, forgiving bend, the rod reduces the risk of breakage when high-sticking and delivers a more comfortable fight under heavy load. While it has the power to handle tuna over 50kg, this forgiving rod is also ideal for casting at Yellowtail and Kingfish.

Target: Yellowfin Tuna-50kg · Kingfish

Length: 8'6" (2.59m)

Drag Max: 15kg/45°

Lure: 25-120g

Suitable Reel Size: 6000-14000

Action: Regular

Reel Seat: DPS 20(Fuji)Down Lock



Middle Class

VP86MH LC

PE 3-8

Designed for long casts and long casting times for Tuna and Kingfish.

The Tuna 86MH LONG CAST features a enough sharp blank that launches small lures like bullets. Its casting performance, lure control, hook-setting ability, and fighting power are all balanced at a high level. Even when casting into boiling Tuna or Kingfish in strong headwinds, it maintains accuracy and places the lure exactly where you want it. Designed to feel like an extension of your arms, it offers stability during the fight. The progressive bending curve transfers load smoothly toward the angler, allowing you to stay in control and use the butt power to keep the upper hand.

Target: Yellowfin Tuna-70kg · Kingfish

Length: 8'6" (2.59m)

Drag Max: 17kg/45°

Lure: 50-140g

Suitable Reel Size: 8000-18000

Action: Regular Fast

Reel Seat: DPS 20(Fuji)Down Lock



Heavy Class

VP88H

PE 6-10

Designed for long casting and for applying steady pressure on fish throughout the fight.

If you need long and accurate casts with heavy-class tackle, the Tuna 88H is the perfect choice. The casting ability will support anglers when the feeding frenzy is far or in heavy conditions casting into the wind. It is not only able to cast large lures but the blank will also allow the use of small 50g size lures. The sharp, stiff blank controls big diving pencils, lifts sinking lures from deep water and lightly produce splashes with large mouth poppers. The bending point is closer to the body allowing anglers to take initiative during the fight.

Target: Yellowfin Tuna-70kg

Length: 8'8" (2.64m)

Drag Max: 20kg/45°

Lure: 45-170g

Suitable Reel Size: 14000-20000

Action: Regular

Reel Seat: DPS 20(Fuji)Down Lock



Power Class

VP80H

PE 6-10

High-power, high-lifting rods targeting giant fish.

The 80H's blank is engineered to lift bluefin tuna over 100 kg with ease. Its butt focused taper maximizes lifting power while maintaining perfect balance, so you can drive topwater lures to provoke aggressive strikes and still go toe to toe with the biggest fish. More than just a beefed up version of its predecessor, this heavy class rod blends power, flex, and endurance, making it the ideal choice for anglers who need to cast lures all day long.

Target: Yellowfin Tuna-100kg

Length: 8'0" (2.44m)

Drag Max: 30kg/45°, 25kg/60°

Lure: 40-160g

Suitable Reel Size: 14000-30000

Action: Regular

Reel Seat: DPS 20(Fuji)Down Lock



Power Class

VP77XH

PE 8-12

This rod is used by anglers targeting record smashing giant tuna.

The 77XH is capable of casting large lures while also allowing anglers to fire and control lighter 60g sinking pencils for smaller baits. Engineered to tackle bluefin tuna over 200 kg on PE 10-12 line, this powerhouse features an optimized length and balanced weight distribution to minimize fatigue. Its robust butt section delivers massive lifting power to keep fish pinned, and by shifting the bending curve closer to your grip, overall load is dramatically reduced and letting you sustain pressure, maintain control, and endure extended, fatigue-free battles.

Target: Yellowfin Tuna-150kg

Length: 7'7" (2.31m)

Drag Max: 30kg/45°, 25kg/60°

Lure: Max 180g

Suitable Reel Size: 14000-30000

Action: Regular Fast

Reel Seat: DPS 20(Fuji)Down Lock



KINGFISH/YELLOW TAIL

Middle Class

VP85MH

-PE 7

Smooth, seamless bending delivers constant pressure on the fish during the fight.

The lightness of the rod will allow anglers to cast all day and makes it ideal for fishing with topwater diving stickbaits, as it's equipped with a sensitive, flexible tip to reduce handling error of the lure. The blank's followability is extremely high, and the bending point shifts toward the angler as soon as a large fish runs, designed to bring out true butt strength with minimal strain on the angler. Furthermore, the rod's length helps you make long casts to feeding kingfish.

Target: Kingfish, Yellowtail

Length: 8'5" (2.57m)

Drag Max: 20kg/45°

Lure: Comfort 40-120g

Suitable Reel Size: 8000-14000

Action: Regular Slow

Reel Seat: DPS 20 (Fuji) Up Lock



GT GAME

Heavy Class

VP82XH LC

PE 6-10

Integrate all the elements required for GT fishing, such as balance, tenacity, and distance.

The 82XH Long Cast is designed to hook up and fight GT from a distance, excelling in strong headwinds. Compared to the 710XXH, its bending point is set farther from the butt section, giving it a stiffer feel in close range fighting, so due to more aggressive curve that generates increasing torque under load, allowing anglers to surface GTs over 50kg simply by loading the rod and using its powerful repulsive force. With a stiffer tip than the 710XXH, the 82XH enables confident use of oversized stickbaits and large mouth poppers to against truly massive GTs.

Target: GT

Length: 8'2" (2.49m)

Lure: Max 200g

Action: Regular

Drag Max: 20kg/45°

Suitable Reel Size: 14000-20000

Reel Seat: DPS 20(Fuji)Up Lock



Closed Length: 179cm Weight: 380g

Power Class

VP710XXH

PE 6-10
PE12(Available)

Fusing repulsive power with flexibility, this is the strongest blank in the Voyager GT lineup.

The GT 710XXH eases the load on anglers with its lightweight build, smooth bending curve, and powerful butt section ready to take on monster GTs. Its excellent maneuverability makes it an all-rounder, perfect for GT games and precise actions like twitching. More than just a powerful rod, it's a reliable weapon in tough conditions and against true giants.

Target: GT

Length: 7'10" (2.39m)

Lure: Max 230g

Action: Regular

Drag Max: 30kg/45°

Suitable Reel Size: 14000-30000

Reel Seat: DPS 20(Fuji)Down Lock



Closed Length: 165.5cm Weight: 393g

VOYAGER OFFSHORE CASTING LINEUP

Light Class

~PE6

LIGHT
VLC76M

LIGHT
VLC83M

TUNA
VP86M

Middle Class

~PE8

KINGFISH
VP85MH

PLUS SPECIAL
VPS83H

PLUS SPECIAL
VPS83MH

TUNA
VP86MH LC

Heavy Class

~PE10

TRAVEL
VPS82XHJ

PLUS SPECIAL
VPS82XH

TUNA
VP88H

GT
VP82XH LC

Power Class


~PE12

TUNA
VP80H

TUNA
VP77XH

GT
VP710XXH


Regarding the rod angle on the fight



When the fish is far away and the line is slanted, depending on the stiffness and tenacity of the rod series, it is possible to hold the rod up to the angle shown in the diagram above and apply pressure to the fish. If the fish is close to under the boat, please try not to set the rod too high. If you do so while the fish turning under the boat, a huge load will be applied to the blanks and it may cause of breakage. Please do not keep the rod too high angle, especially when landing, so control the fish by holding the rear grip under the arm.











VOYAGER OFFSHORE CASTING MODELS COMPARISON TABLE







STICKBAIT
POPPER
MINNOW
VIB
CRANK
METAL JIG
FROG
SOFT BAIT
FISHING REEL
FISHING LINE
TERMINAL TACKLE
FISHING BAG
FISHING TOOLS
APPAREL

BENDING CURVES



- When operating the rod at 45–70 degrees, steady and smooth rebound helps to turn the paused fish quickly towards the angler and let him retrieve immediately, this can decrease the physical power consumption effectively.
- It allows anglers to run high drag pressures on the rods. The extremely strong, elastic T1100G carbon incorporated in the blank translates this pressure into lifting power for the angler.

*These images do not fully capture the rods' potential or characteristics. They were taken under limited conditions with gentle weight applied, so the instantaneous repulsion force and handling feel are not shown.



BUILT ON EXPERIENCE AND EXTENSIVE TESTING

There are several offshore casting game fishing spots around the world, famous for catching Yellowfin and Bluefin Tuna, such as Oman, South Africa, Panama, and Southeast Australia. The data collected from battling these tunas expanded our horizons, improving rod blank performance and leading to the development of more models that complement each other, providing anglers with greater satisfaction when facing different environments and challenges.



Voyager



PLUGGING SPECIAL

The Voyager Plugging Special series are models which have had all the standard yet important factors for the casting game fused together at a high dimension.

The highly force of recovery and stiff blank is equipped with a super sharp casting feel and will enable anglers to lightly handle their lures. The firm belly section will allow use with a wide range of lures, including top water plugs such as poppers, and the highly sensitive blank is suitable for underwater lures such as sinking stickbait, large minnows, transmitting the vital information subsurface which is not visible to the naked eye.



Middle Class

VPS83MH

-PE 6

Suited for: Diving stickbait / Small mouth popper

Ideal for top-water Yellowfin Tuna and Kingfish game for anglers to utilize diving pencils, as it is equipped with a sensitive flexible tip to reduce handling error of the lure and stiff blank characteristics seen in ML class rods. The blanks follow ability is extremely high as it will easily bend in as soon as the raging large fish starts running and it is designed to bring out its true strength of the butt with little strain on the angler.

Target: Kingfish, Yellowfin Tuna

Length: 8'3"(2.51m)

Drag Max: 18kg/45"

Lure: Max 120g

Suitable Reel Size: 8000-14000

Action: Regular

Reel Seat: DPS 20(Fuji)Down Lock



Closed Length: 185cm Weight: 374g

Middle Class

VPS83H

-PE 8

Suited for: Diving stickbait / Small-Medium mouth popper

This will be your standard model with a total balance of casting feel, controllability and fighting performance factors required to target GT and Kingfish. Anglers will easily be able to sharply cast out diving pencils and poppers around 220mm while lightly and effectively maneuvering the lure through the manually handling blank. Once the rod is loaded with the weight of the fish, it will bend in nicely and allow anglers to put their weight behind the rod to efficiently lift the fish with the responsive strength of the blank.

Target: Kingfish, GT, Yellowfin Tuna

Length: 8'3"(2.51m)


Drag Max: 20kg/45"

Lure: Max 150g

Suitable Reel Size: 10000-14000

Action: Regular

Reel Seat: DPS 20(Fuji)Down Lock



Closed Length: 185cm Weight: 397g

Heavy Class

VPS82XH

-PE 10

Suited for: Diving stickbait / Medium-Big mouth popper

The sharp and stiff blank will allow anglers to easily handle large diving pencils, jerk up sinking pencils from the depths and efficiently and lightly produce splashes with medium large mouthed poppers around 260mm in difficult conditions where the use of a variety of lures is required. The torque of the outstanding butt power will smoothly intensify with the weight transition of the angler enabling you to stop the massive fish and take initiative of the fight.

Target: Kingfish, GT, Yellowfin Tuna

Length: 8'2"(2.49m)


Drag Max: 22kg/45"

Lure: Max 180g

Suitable Reel Size: 10000-20000

Action: Regular

Reel Seat: DPS 20(Fuji)Down Lock




Closed Length: 182.5cm Weight: 405g

LIGHTER, CASTS FARTHER, STRONGER

The highly force of recovery and stiff blank is equipped with a super sharp casting feel and will enable anglers to lightly handle their lures. The firm belly section will allow use with a wide range of lures, including top water plugs such as poppers, and the highly sensitive blank is suitable for underwater lures such as sinking stickbait, large minnows, transmitting the vital information subsurface which is not visible to the naked eye.

BENDING CURVES



Voyager

OFFSHORE CASTING LIGHT CONCEPT

This is a highly versatile model that not only covers top water games but also for use with large minnows with heavy water resistance and jig-heads to target rock-fish.

And this rod was conceived to be light enough for fun with species like Mackerel, Wahoo and Kingfish, but still having the power for a reasonable size GT or mid size tuna.

*Though we really wouldn't recommend it for big tunas, its nice to see it can be done!



Light Class VLC76M -PE5

"An all rounder model packed with sharp operability and powerful strength in the blank to expand the possibilities of the Max PE5 line class fishing." The sharp feeling of the blank is not only ideal for controlling top water lures but also the sensitivity of the rod will enable anglers to use minnows and soft plastic lures under the surface. It is an all-rounder model to target bonito, blue-runners, snappers and rock fish depending on what line class you want to use.

Length: **7'6" (2.29m)** Drag Max: **18kg/45"**
Lure: **Max 80g** Reel Seat: **DPS 20 (Fuji) Up Lock**
Action: **Regular Fast** Suitable Reel Size: **6000-10000**
*It would still balance with an 14000, but its definitely more enjoyable with the mid size reel.



Closed Length: **164.2cm** Rod Weight: **290g**

Light Class VLC83M -PE5

Built with an emphasis on casting distance and power this light weight rod is capable of catching fish well above its class. This medium powered rod is your PE5 class casting rod for your local waters. Once loaded, the rod bends smoothly towards the butt section, creating a beautiful arc. Although it has a sharp feeling, the slow-tapered rod is designed to bend towards the butt section to absorb the thrashing run and enable a stable fight against 50kg class Kingfish.


Length: **8'3" (2.51m)** Drag Max: **17kg/45"**
Lure: **Max 80g** Reel Seat: **DPS 20 (Fuji) Up Lock**
Action: **Regular Fast** Suitable Reel Size: **6000-10000**
*It would still balance with an 14000, but its definitely more enjoyable with the mid size reel.





Closed Length: **186cm** Rod Weight: **313g**

SURPRISING CAST DISTANCE

"The highly force of recovery and stiff blank is equipped with a super sharp casting feel and will enable anglers to lightly handle their lures."



BENDING CURVES



The blank will bend over nicely once loaded yet possessing the underlying power to stop the monstrous fish, and it is designed to bring out its true butt strength with little strain on the angler.

*These images do not fully capture the rods' potential or characteristics. They were taken under limited conditions with gentle weight applied, so the instantaneous repulsion force and handling feel are not shown.

STICKBAIT

POPPER

MINNOW

VIB

CRANK

METAL JIG

FROG

SOFT BAIT

FISHING ROD

FISHING REEL

FISHING LINE

TERMINAL TACKLE


FISHING BAG

FISHING TOOLS


APPAREL



JLJ S63-1
-PE1.5



JLJ S63-2
-PE 2




JLJ B63-2
-PE 2






JLJ S63-3
-PE 2



JLJ B63-3
-PE 2





The 63-3 is the most powerful model in the Light Jigging series. It is a good choice for areas with a high population of blue runners and other strong fish. Compared with the other models in the Light Jigging series, it has a slightly stiffer blank, giving anglers more control when working the jig manually. It comfortably handles jigs from 60g to 180g. If you are fishing in depths around 100m, strong currents, or using fine PE line, this model is recommended.



- The blanks have strong overall stiffness, yet bend smoothly and progressively under load.
 - The blank is built to handle high drag pressure. Strong and elastic Toray carbon helps convert that pressure into powerful lifting force during the fight.
- *These images do not fully capture the rods' potential or characteristics. They were taken under limited conditions with gentle weight applied, so the instantaneous repulsion force and handling feel are not shown.

Twist-Resistant Stability with a Powerful Dynamic Bend

Slim high-modulus carbon blanks deliver strong rebound power, a smooth bending curve, and efficient energy transfer. The refined action makes it easy to feel the timing and control the jig through different jigging styles.



Voyager

LIGHT JIGGING **NEW**

A standard for light jigging that covers a wide range of inshore waters.

Voyager Light Jigging is designed for light jigging, a thinner-diameter blank allows the rod to bend smoothly through the entire body and work jigs lightly and seductively.

The design has been refined to deliver excellent "jerk, response, and stress-free".




* Spin models use similar blanks and have the same cosmetics and build quality as the bait models.

Recommended Depth: **Around - 70m+**, Target Fish Size: **Around 6kg+**

The 63-1 models covers a jig weight range of 40-130g. It is designed for relatively shallow inshore waters, such as bays and coastal areas.

The blank has a mild and strong character, with a flexible bending curve that loads smoothly under pressure. It works well with basic one pitch jerks, as well as many other jigging styles. It keeps a high level of control with different jig types. The tubular blank gives it excellent versatility, making it a light and easy to use all round model.

VLJ S63-1
-PE 1.5




Recommended Depth: **Around - 80m+**, Target Fish Size: **Around 8kg+**

The 63-2 is a highly versatile light jigging model that covers the most commonly used jig range in bay and coastal areas, especially from 40g to 160g. It is designed to cover a wide range of inshore light jigging situations. It works well not only for vertical jigging, but also for horizontal presentations that involve casting. This all-round model handles many different jerk styles, including one pitch jerks, high speed jerks, combination jerks, and long fall techniques.

VLJ S63-2
-PE 2



VLJ S63-2
-PE 2




Recommended Depth: **Around - 100m+**, Target Fish Size: **Around 10kg+**

The 63-3 is the most powerful model in the Light Jigging series. It is a good choice for areas with a high population of blue runners and other strong fish. Compared with the other models in the Light Jigging series, it has a slightly stiffer blank, giving anglers more control when working the jig manually. It comfortably handles jigs from 50g to 180g. If you are fishing in depths around 100m, strong currents, this model is recommended.

VLJ S63-3
-PE 2




VLJ S63-3
-PE 2



X-Wrapping Blank Construction


This is a basic light jigging series, but it offers strong real-world fishing performance for dedicated light jigging use.

The blank is reinforced with X-wrapping from butt to tip, helping reduce twisting and unwanted blank shake when the rod bends under load. The tubular blank keeps a clear and direct jigging feel, even when the jig shape or weight changes.



- The blanks have strong overall stiffness, yet bend smoothly and progressively under load.
- The blank is built to handle high drag pressure. Strong and elastic Toray carbon helps convert that pressure into powerful lifting force during the fight.

*These images do not fully capture the rods' potential or characteristics. They were taken under limited conditions with gentle weight applied, so the instantaneous repulsion force and handling feel are not shown.



The blank will bend over nicely once loaded yet possessing the underlying power to stop the monstrous fish, and it is designed to bring out its true butt strength with little strain on the angler.

Voyager

JIGGING NEW



Precise control of jigs and powerful fighting, an evolution in overall performance.

As the core model of the Voyager Jigging series, it maintains the firm reliability of Torsen X while delivering further evolution in "jerk, response, and strength". The overall performance has been refined to provide more accurate jig control, reduced angler fatigue, and greater fighting power. The rod action, which is the core of the jerk, was thoroughly analyzed for each item and updated for the right places. Unique, exclusive designs were developed from technical, response, and power-focused perspectives.


* Spin models use similar blanks and have the same cosmetics and build quality as the bait models.

Designed for vertical jigging in depths from 30–90m+ with metal jigs up to 180g.

Its strong and resilient backbone delivers powerful recovery, allowing anglers to work jigs with wide sliding action or fast vertical jerks. Once hooked up, the rod bends powerfully through the entire blank, making it easier to fight and lift hard-fighting fish, even amberjack in the 15kg class.


VJ S60-3

—PE 3



VJ B60-3

—PE 3




Designed for vertical jigging in depths from 40–120m+ with metal jigs up to 210g.

The 60-4 is built for tougher conditions than the 60-3. Best matched with PE3 line and 150–210g jigs, it delivers extra power for demanding situations and larger fish. It is especially useful in fast currents, where power and control are critical. With a spinning setup, it can create reaction bites through ultra high-speed jerking. It also provides the stopping power needed when jigging around artificial reefs or heavy structure.



VJ S60-4

—PE 4



VJ B60-4

—PE 4




- The blanks have strong overall stiffness, yet bend smoothly and progressively under load.
- The blank is built to handle high drag pressure. Strong and elastic Toray carbon helps convert that pressure into powerful lifting force during the fight.

*These images do not fully capture the rod's potential or characteristics. They were taken under limited conditions with gentle weight applied, so the instantaneous repulsion force and handling feel are not shown.

HIGHLY RESPONSIVE (AGGRESSIVE JERK) BLANKS FAST RECOVERY, TORSION RESISTANCE.

Improved torsional strength enhances blank stability and performance. The fast-recovering blank helps anglers regain line control quickly and start the jig action smoothly, even in strong currents.



The blank will bend over nicely once loaded yet possessing the underlying power to stop the monstrous fish, and it is designed to bring out its true butt strength with little strain on the angler.

STICKBAIT

POPPER

MINNOW

VIB

CRANK

METAL JIG

FROG

SOFT BAIT

SPINNING ROD

FISHING REEL

FISHING LINE

TERMINAL TACKLE

FISHING BAG

FISHING TOOLS

APPAREL

Voyager SLOW PITCH JIGGING



This is a special jigging series that attracts fish with a variety of speeds and pitches of jerking, and the beautiful bending curve of the one piece blank allows anglers to maintain the high stick position which will continuously apply high pressure on the fish while reducing the load on the angler side. It is ideal for slow pitch jerk, one pitch jerk and other jerking patterns focusing on the sinking action of the heavy weight jigs. Anglers can also utilize the fighting belt to jerk or set the grip end under your armpits.

To comfortably manipulate 350 to 800g jigs under special conditions such as deep waters, tidal currents, and complex double tides, the blank has strong tension and torque, even in high water pressure.

Spinning & Bait Model

C631/180g
S631/180g
-PE 3

Built for finesse jigging with light line and light tackle. The soft tip slows the jig's first movement, helping it slide into a more natural fall. It comes into its own when fish are inactive, just pecking at the jig, or easily shaking free after the hookset.

Main Target:

Snapper, Grouper, Amberjack, Yellowtail etc.


Drag Max: 10kg/45'

Spinning Reel Seat: DPS #20 Down Lock

Bait Reel Seat: T-DPS #22 Down Lock

Length: 6'3"(1.91m)

Lure: Max 180g



Spinning & Bait Model

C631/250g
S631/250g
-PE 3

A versatile model for the jig weights most commonly used from shallow inshore water to mid depth and deep areas. It is light, sensitive, and easy to work, allowing the jig to slide and fall naturally with minimal rod input. From working the jig to setting the hook, it gives you the full slow jigging experience. Suitable for a wide range of species, including sea bream, blue runners, and rockfish.

Main Target:

Snapper, Grouper, Amberjack, Yellowtail etc.


Drag Max: 12kg/45'

Spinning Reel Seat: DPS #20 Down Lock

Bait Reel Seat: T-DPS #22 Down Lock

Length: 6'3"(1.91m)

Lure: Max 250g



Spinning & Bait Model

C601/350g
S601/350g
-PE 3

A PE3 class model that can comfortably handle 200-300g jigs. The main feature of the Galahad Slow series is its all-rounder performance, which has a lot of latitude in action to manipulate the jigs that suit a variety of targets. It covers a wide range of uses, from a quick action approach to blue runner with high swimming ability to a natural fall action for sea bream and rock fish.

Main Target:

Snapper, Grouper, Amberjack, Yellowtail etc.


Drag Max: 20kg/60'

Spinning Reel Seat: DPS #20 Down Lock

Bait Reel Seat: T-DPS #22 Down Lock

Length: 6'0"(1.83m)

Lure: Max 350g



Spinning & Bait Model

C581/500g
S581/500g
-PE 4

To comfortably manipulate 300 to 500g jigs under special conditions such as deep waters, tidal currents, and complex double tides, the blank has strong tension and torque, even in high water pressure. It is possible to transmit the action to the jig with less burden on the body. The response of the combination, from the quick action to targets with high swimming ability such as amberjack, to the fall action, is the best in the series. This model is also recommended for targeting large rock fish in deep waters.

Main Target:

Tuna, Snapper, Grouper, Amberjack, Yellowtail etc.


Drag Max: 25kg/50'

Spinning Reel Seat: DPS #20(Fuji)Down Lock

Bait Reel Seat: DPS #20(Fuji)Down Lock

Length: 5'8"(1.77m)

Lure: Max 500g



Spinning & Bait Model

C581/800g
S581/800g
-PE 5

The most powerful in this series, ready to take on ultra-large targets exceeding 100kg. With the speed game of a spinning rod and the capability for wide-ranging exploration, it opens up a new door on anglers' power game. Its action generates lifting power with flexibly bending torque to support anglers in the longest of fights, never yielding initiative to the fish. It's a super rod that upsets the conventional wisdom with stress-free control over jigs of 500g or less up to 800g jigs while boasting monster power.

Main Target:

Tuna, Snapper, Grouper, Amberjack, Yellowtail etc.


Drag Max: 30kg/60'

Spinning Reel Seat: DPS #20(Fuji)Down Lock


Bait Reel Seat: DPS #20(Fuji)Down Lock

Length: 5'8"(1.77m)

Lure: Max 800g



BENDING CURVES



- When operating the rod at 60 degrees, steady and smooth rebound helps to turn the paused fish quickly towards the angler and let him retrieve immediately, this can decrease the physical power consumption effectively.
- It allows anglers to run high drag pressures on the rods. The extremely strong, elastic T1100G carbon incorporated in the blank translates this pressure into lifting power for the angler.

*These images do not fully capture the rods' potential or characteristics. They were taken under limited conditions with gentle weight applied, so the instantaneous repulsion force and handling feel are not shown.



* Spin rods use similar blanks and have the same cosmetics and build quality as the Bait rods.

ENJOY ITS STRENGTH AND PERFORMANCE


The blank design has been perfected to make it easy to add speed for appealing of the jig with slow pitch, allowing you to freely operate fall from lift and switch to fast pitch jerking.

HIGH STRENGTH. FAST RECOVERY. TORSION RESISTANCE.

Torsional strength has improved compared to previous carbon blanks, drastically enhancing performance. Its robust blank action allows for quick line recovery and initial jig action even in fast currents.



This is a special jigging series that attracts fish with a variety of speeds and pitches of jerking, and also has butt power so that you can bend the rod deeply when fighting.



Infinite



A6 SLOW JIGGING

The A6 Slow Jigging is a series designed for advanced jig fishing anglers, meaning that they can go fishing anywhere in the world without boundary and with no target limitation. Designed for targeting Amberjack, Kingfish, Tuna and most saltwater fishes.

One-piece construction and good parabolic action with tuned power output are anglers most wanted designs that offer greater lift and recovery over the totally parabolic action.

It has been loaded flexible tip section to let jig swim naturally and moderate repulsive force on belly and butt section to let jig move rhythmically.

The blank is made of powerful, flexible, and high-density Toray carbon fiber material from Japan and it has been loaded flexible tip section to let jig swim naturally and moderate repulsive force on belly and butt section to let jig move rhythmically.

We have succeeded to load high sensitivity to sense small vital information, ease of manipulation to reduce physical burden and high speed of response to transfer your input power. You can jerk both short and long strokes as you wish easily.

The Fuji reel seat allows the rod to amplify the sensitiveness and utilizing the Fuji powerful tangle-proof K series guides with durable SIC rings.

Model	Length	Section C.Length(cm)	Tip Dia.	Butt Dia.	lure(g)	Max Drag	Weight(g)	Guide
Spinning								
NBSJ651ML	6'5" (1.96m)	1	196	2.0mm	11.5mm	30-150	15kg	141 6+1
NBSJ651M	6'5" (1.96m)	1	196	2.4mm	11.9mm	80-260	15kg	151 6+1
Casting								
NBSJC651ML	6'5" (1.96m)	1	196	2.0mm	11.5mm	30-150	15kg	146 10+1
NBSJC651M	6'5" (1.96m)	1	196	2.1mm	12.4mm	80-260	15kg	155 10+1
NBSJC631MH	6'3" (1.91m)	1	191	2.4mm	12.0mm	150-350	21kg	154 10+1

Voyager



SLOW JIGGING

The brand new voyager series slow jigging rod with more power than the other series, the weight is also lighter to make the handling more perfect, also when dealing with gigantic fish it has great resilience to help you catch the fish easily.

Equipped with Fuji's lightweight, high friction-resistant Alconite K guides and Fuji Reel Seat.

Model	Length	Section C.Length(cm)	Tip Dia.	Butt Dia.	lure(g)	Weight(g)	Guide	Line	Drag
Spinning									
VSJ602ML-S	6'0" (1.83m)	1.5	126.8	2.0mm	12.1mm	30-260	187	6+1 PE#1.5-3.0	18kg
VSJ602M-S	6'0" (1.83m)	1.5	126.8	2.3mm	12.6mm	100-350	198	6+1 PE#2.5-4.0	20kg
VSJ652ML-S	6'5" (1.96m)	1.5	139	2.0mm	12.5mm	30-260	196	7+1 PE#1.5-3.0	18kg
VSJ652M-S	6'5" (1.96m)	1.5	139	2.1mm	12.6mm	100-350	207	7+1 PE#2.5-4.0	20kg
Casting									
VSJ602ML-C	6'0" (1.83m)	1.5	126.8	2.0mm	12.2mm	30-260	195	8+1 PE#1.5-3.0	18kg
VSJ602M-C	6'0" (1.83m)	1.5	126.8	2.2mm	12.5mm	100-350	204	8+1 PE#2.5-4.0	20kg
VSJ652ML-C	6'5" (1.96m)	1.5	139	2.0mm	12.6mm	30-260	202	9+1 PE#1.5-3.0	18kg
VSJ652M-C	6'5" (1.96m)	1.5	139	2.3mm	12.5mm	100-350	216	9+1 PE#2.5-4.0	20kg



LEISURE - FULL SOLID SLOW JIGGING III - NBSJ602M

LEISURE - FULL SOLID SLOW JIGGING III - NBSJ602ML

LEISURE - FULL SOLID SLOW JIGGING III - NBSJC602M

LEISURE - FULL SOLID SLOW JIGGING III - NBSJC602ML

LEISURE

FULL SOLID SLOW JIGGING III

Leisure Slow Jigging III Rods draw out the optimal performance and control of the jigs with a natural feel, and for the purpose of "feeling" the undersea world and "commanding" the jig. Performance that covers everything from light jigging fishing to medium jigging, and also supports mid-deep water.

While succeeding to the basic performance of the old models, New "3rd generation" Leisure Solid Slow Jigging III is sublimed to the higher stage by this model change. The rods makes sharp slow actions and will not miss any slight bites due to their high sensitiveness.

This supple blank boasts incredible strength in power fights, yet is gentle on lines and hooks. Feel and control are critical factors when selecting your rods.

Model	Length	Sec.	C.Length(m)	Jig WT.	Line WT.	Tip/Butt Dia. (mm)	Weight (average/g)	Guide	Drag(45°)
Spinning									
NBSJ602ML	6'0"(1.83m)	1.5	137	30-180g	PE #1.5-3	1.5/10.8	190g	6+1	8kg
NBSJ602M	6'0"(1.83m)	1.5	137	100-350g	PE #2.5-4	1.7/10.8	196g	6+1	10kg
Casting									
NBSJC602ML	6'0"(1.83m)	1.5	137	30-180g	PE #1.5-3	1.5/10.8	185g	8+1	8kg
NBSJC602M	6'0"(1.83m)	1.5	137	100-350g	PE #2.5-4	1.7/10.9	199g	8+1	10kg

LEISURE


FULL SOLID SLOW JIGGING II

The high elasticity and sensitivity make this rod ideal for any kind of jigging style.

The fast recovery accelerates jigs through the water faster, improving their action.

The full solid blank that helps you land larger fish faster while minimizing your strain and fatigue, as the rod absorbs the majority of the load.

Model	Length	Section	C.Length(m)	Tip Dia.	Butt Dia.	Iure(g)	Weight(g)	Guide	Line
Spinning									
NBSJ562ML	5'6"(1.68m)	2	135	1.4mm	11.5mm	30-180	160	6+1	PE#1.5-3.0
NBSJ602M	6'0"(1.83m)	2	137	1.7mm	11.6mm	100-350	185	6+1	PE#2.5-4.0
NBSJ652M	6'5"(1.96m)	2	146	1.7mm	11.6mm	100-350	193	7+1	PE#2.5-4.0
Casting									
NBSJC602ML	5'6"(1.68m)	2	135	1.4mm	11.5mm	30-180	155	7+1	PE#1.5-3.0
NBSJC602M	6'0"(1.83m)	2	137	1.7mm	11.6mm	100-350	175	8+1	PE#2.5-4.0
NBSJC652M	6'5"(1.96m)	2	146	1.7mm	11.6mm	100-350	188	9+1	PE#2.5-4.0



LEISURE

K7 SLOW PITCH JIGGING

These jigging rods feature a slow taper that provides the ideal moderate action to impart the perfect cadence on a variety of jigs. Whether you are deep jigging reef fish, pulling tog from an underwater lair, these super strong and incredibly sensitive rods have no equal when it comes to performance and quality.

A light, strong, powerful and sensitive rod which combines proven superior lifting power with fast sensitive blank recovery!

Model	Length	Section	C.Length	Tip Dia.	Butt Dia.	lns(g)	Max Drag	Weight(g)	Guide	Line
Spinning										
NBSJ602ML	6'0" (1.83m)	1.5	127cm	2.1mm	14.1mm	30-260	18kg	198	6+1	PE #1.5-3.0
NBSJ602M	6'0" (1.83m)	1.5	127cm	2.3mm	14.3mm	100-350	20kg	215	6+1	PE #2.5-4.0
NBSJ652ML	6'5" (1.96m)	1.5	139cm	2.1mm	14.2mm	30-260	18kg	210	7+1	PE #1.5-3.0
NBSJ652M	6'5" (1.96m)	1.5	139cm	2.3mm	14.3mm	100-350	20kg	221	7+1	PE #2.5-4.0
Casting										
NBSJC602ML	6'0" (1.83m)	1.5	127cm	2.0mm	14.3mm	30-260	18kg	203	7+1	PE #1.5-3.0
NBSJC602M	6'0" (1.83m)	1.5	127cm	2.3mm	14.3mm	100-350	20kg	192	7+1	PE #2.5-4.0
NBSJC652ML	6'5" (1.96m)	1.5	139cm	2.0mm	14.2mm	30-260	18kg	209	8+1	PE #1.5-3.0
NBSJC652M	6'5" (1.96m)	1.5	139cm	2.1mm	14.2mm	100-350	20kg	214	8+1	PE #2.5-4.0



LEISURE

K5 SLOW JIGGING - SOLID

Spinning and casting model, meet fisherman's different needs.

Universal type slow jigging rod, suitable for all kinds of lead jig, show lure perfect action when retrieving, easy to control.

Special tip color, strong visual impact.

The split EVA handle, anti skid and non water absorption. The high sensitive rod blank can make people experience the adventurous process of fighting fish.

Model	Length	Section	C.Length(cm)	Tip Dia.	Butt Dia.	lns(g)	Max Drag	Weight(g)	Guide	Line
Spinning										
NBSJ562	5'6" (1.68m)	2	121	1.8mm	12.5mm	30-300	20kg	200	6+1	PE #1.5-4.0
NBSJ602	6'0" (1.83m)	2	133	1.9mm	12.5mm	30-300	20kg	229	7+1	PE #1.5-4.0
Casting										
NBSJC562	5'6" (1.68m)	2	121	1.8mm	12.5mm	30-300	20kg	205	7+1	PE #1.5-4.0
NBSJC602	6'0" (1.83m)	2	133	1.9mm	12.5mm	30-300	20kg	235	8+1	PE #1.5-4.0

Infinite

JIGGING



The Infinite Jigging series possess outstanding power and strength to go head-to-head with supersize fish around the world yet easing the load on the angler while fighting the fish.

Designed to target Bluefin tuna, marlins and super-size groupers around the world. The butt length has been extended for anglers to be able to easily lift the fish and the strong yet tenacious blank will withstand the brunt of the monstrous fish.

Some of "One & Handle" construction model in this series is specially designed for anglers to bring their rods into small airplanes and the 5' 6" specification makes them suitable for use on different kinds of boats in most countries.

Equipped with Fuji Alconite (some models are Fuji SiC) K-Frame Guides, these rods feature a tangle-free design that ensures smooth line movement and minimizes friction. The stainless steel frames and Alconite insert rings enhance overall durability and provide optimal casting performance.

Model	Length	Section	C.Length(cm)	Tip Dia.	Butt Dia.	Lure(g)	Weight(g)	Guide	Line
Casting									
NBJC602M	6'0" (1.83m)	2	122	3.1mm	11.7mm	120-300	360	7+1	PE #4.0-6.0
NBJC601MH	6'0" (1.83m)	1	183	3.3mm	11.9mm	200-500	410	7+1	PE #6.0-8.0

LT JIGGING



Ultralight 2 pieces jigging rod, powerful, ingenious and easy to operate.

Japan Toray carbon, light and sensitive, super hardness.

Equipped with full Fuji guides, nice heat dissipation.

Heavy duty Fuji DPS graphite reel seat provide increased blank contact with outstanding sensitivity.

Two hardness to match different lure weight, suitable for deep sea and offshore jigging.

Contoured EVA grip deliver an excellent ergonomic connection for angler to the rod.

Model	Length	Section	C.Length(cm)	Tip Dia.	Butt Dia.	Lure(g)	Weight(g)	Guide	Line
Spinning									
632ML	6'3" (1.91m)	2	137	2.1mm	10.6mm	Max150	162	7+1	PE #1.0-3.0
632M	6'3" (1.91m)	2	137	2.3mm	11.1mm	Max200	168	7+1	PE #2.0-4.0



NONSUCH

JIGGING GAME



Equipped with Fuji high-strength anti-wrap K-series guides and Fuji Reel Seat.
The strong blank with good tensile strength is made of carbon fiber and X shape carbon belt.
The one piece rod design, no matter you are shaking the bait or fighting with the fish, you can handle it with ease.

Model	Length	Section	C.Length (cm)	Tip/Butt Dia (mm)	Lure (g)	Drag (kg)	Weight (g)	Guide	Line
Spinning									
NBSJ601M	6'0" (1.83m)	1	183	2.7/9.8	Max 200g	15	233	5+1	PE2-5
NBSJ601MH	6'0" (1.83m)	1	183	2.7/9.8	Max 350g	20	241	5+1	PE3-8
Casting									
NBSJC601M	6'0" (1.83m)	1	183	2.4/9.7	Max 200g	15	197	8+1	PE2-5
NBSJC601MH	6'0" (1.83m)	1	183	2.5/9.8	Max 350g	20	212	8+1	PE3-8

LEISURE

K5 JIGGING

Couple hardness with softness, two action.
The combination of high-tonnage carbon blank and nano-composite material makes the rod blank have good elasticity and bending degree, and easy to control catching the fish.
Hard EVA handle, anti skid and non water absorption. Metal cross butt cap, strong and durable.

Model	Length	Section	C.Length	Tip Dia.	Butt Dia.	Lure(g)	Drag	Weight(g)	Guide	Line
Spinning										
NBSJ602M	6'0" (1.83m)	2	121cm	2.7mm	14.0mm	120-260	15kg	323	5+1	PE4-8
NBSJ602MH	6'0" (1.83m)	2	121cm	2.8mm	14.5mm	200-500	18kg	335	5+1	PE6-8



LEISURE **LEISURE STAND UP**

As the name implies, standup rods are rods you use for heavy game fish, such as yellowfin tuna, marlin, groupers & more. The rods are designed to place a great deal of strain on large fish while the angler stands up to do battle. Available in 4 models from 20lb to 100lb, and built on a unidirectional wrapped, graphite/e-glass construction blank with added flex reinforcement process for strength. Equipped with high strength, heavy duty guide frames with ocean guides inserts, aluminum reel seat, ergonomic fore grip, heavy duty aluminum gimbal and they are perfectly matched to the powerful predators with their violent flights.

*80LBS Models Made With Spiral Wrapped Guides

Model	Length	C.Length	Section	Tip Dia.	Butt Dia.	Weight	Guide	Line
Conventional								
LSU3050	1.66m	166cm	1	5.2mm	13.4mm	659g	7+1	30-50lb
LSU50	1.70m	170cm	1	5.9mm	16.0mm	647g	8+1	80lb





LEISURE

Engineered to perform in the most demanding of circumstances, the Leisure Big Game Series Conventional Rods are equipped to dominate the heaviest trolling applications. Heavy-Duty glass fiber greatly enhances rod strength while retaining the ability to flex. This combination of rod technologies increases the structural rigidity of the rods so that they remain true under load while enabling anglers to efficiently transfer power through the blank for much needed fighting power in heavy offshore applications. Equipped with a full set of roller guides and tip, the rods are ready to take on some of the most powerful game fish in the sea, including the mighty Bluefin Tuna. Each model utilizes different guide layouts, lengths, power and more, delivering more options for anglers to meet their preferences and fishing styles.

SWIVEL ROLLER TOP

BIG GAME PRO - TROLLING

Model	Length	Section	C.Length(cm)	Tip Dia.	Butt Dia.	Line(g)	Weight(g)	Guide	Line(lb)
Spinning									
NMT562-4 50-80lb	1.68m	2	114.5	7.0mm	18.8mm	500-750	663g	3+1	50-80
* NMT562-6 130-180lb	1.68m	2	114.5	8.8mm	20.0mm	1000-1400	706g	3+1	130-180
* NMT562-4 80-130lb	1.68m	2	114.5	7.7mm	19.5mm	600-1200	676g	3+1	80-130
NMT602-4 50-80lb	1.83m	2	128.5	7.0mm	18.8mm	500-750	704g	4+1	50-80
* NMT602-4 80-130lb	1.83m	2	128.5	7.7mm	19.5mm	600-1200	727g	4+1	80-130
* OEM ONLY									

STANDARD ROLLER TOP

BIG GAME PRO II - TROLLING

Model	Length	Section	C.Length(cm)	Tip Dia.	Butt Dia.	Line(g)	Weight(g)	Guide	Line(lb)
Spinning									
NMT562-4 50-80lb	1.68m	2	114.5	7.0mm	18.8mm	500-750	672g	3+1	50-80
* NMT562-6 130-180lb	1.68m	2	114.5	8.8mm	20.0mm	1000-1400	715g	3+1	130-180
* NMT562-4 80-130lb	1.68m	2	114.5	7.7mm	19.5mm	600-1200	686g	3+1	80-130
NMT602-4 50-80lb	1.83m	2	128.5	7.0mm	18.8mm	500-750	712g	4+1	50-80
NMT602-4 80-130lb	1.83m	2	128.5	7.7mm	19.5mm	600-1200	738g	4+1	80-130
* OEM ONLY									

LEISURE - X5 BOAT - BBS602M

NONSUCH - LIGHT BOAT GAME - C652/60

NONSUCH - NBOCT170

LEISURE X5 BOAT II

The tough blank and sensitive tip allows you to perform lightness and fastness.
The boat rod design allows you to handle strong impact or small bites.
Thin body, light touch and high power are the focus of this rod.
Both two-axis reels and small electric reels can be used.

Model	Length	Action	Section	C.Length	Tip Dia.	Line(g)	Weight	Guide	Line	Drag/45°
Spinning										
BBS602M	6'0"(1.83m)	R	2	94.5cm	2.4mm	Sinker:80-300g 80#(50-120#)	232g	6+1	PE#3.0-8.0	17kg
BBS702M	7'0"(2.13m)	R	2	110.5cm	2.5mm	Sinker:80-300g 80#(50-120#)	265g	7+1	PE#3.0-8.0	18kg
BBS802M	8'0"(2.43m)	R	2	125.5cm	2.5mm	Sinker:80-300g 80#(50-120#)	288g	8+1	PE#4.0-8.0	19kg
Casting										
BBC602M	6'0"(1.83m)	R	2	94.5cm	2.4mm	Sinker:80-300g 80#(50-120#)	212g	7+1	PE#3.0-8.0	17kg
BBC702M	7'0"(2.13m)	R	2	110.5cm	2.5mm	Sinker:80-300g 80#(50-120#)	248g	8+1	PE#3.0-8.0	18kg
BBC802M	8'0"(2.43m)	R	2	125.5cm	2.5mm	Sinker:80-300g 80#(50-120#)	271g	11+1	PE#4.0-8.0	19kg

NONSUCH BOAT LIGHT GAME



A new game rod series with excellent versatility to handle a wide variety of fish species and fishing methods.

The tip is made of solid carbon fiber, which has excellent flexibility, biting performance, and eye sensitivity, while the butt employs a 30t tubular structure that delivers resilience and recovery under heavy loads. The lightweight, double X structured blanks provide lightweight maneuverability and support rod work used in boat fishing, such as jerking and poking.

Model	Length	Section	C.Length	Tip Dia.	Butt Dia.	Sinker	Weight	Guide
Spinning								
S622/30	6' 2"(1.88m)	2	98.5cm	1.5mm	10.5mm	15-60# (56-225g)	122g	9+1
S652/60	6' 5"(1.96m)	2	103cm	1.7mm	12.4mm	30-100# (110-375g)	143g	9+1
Casting								
C622/30	6' 2"(1.88m)	2	98.5cm	1.5mm	10.5mm	15-60# (56-225g)	120g	12+1
C652/60	6' 5"(1.96m)	2	103cm	1.7mm	12.4mm	30-100# (110-375g)	142g	13+1

NONSUCH BOAT SQUID / CUTTLEFISH / OCTOPUS/ IKA METAL



These series were built for boat Octopus, Cuttlefish, Webfoot Octopus, IKA metal fishing conditions.

High Modulus Carbon Graphite Construction and sensitive and sharp solid titanium tip and powerful backbone to big size predators.

Equipped with Fuji stainless steel frame guides, custom exclusive reel seat.

Model	Target	Length	SEC	C.Length	Tip Dia.	Butt Dia.	Sinker	Weight	Guide	Line
Casting										
NBOCT145	CUTTLEFISH	1.45m	1.5	103.5	1.1mm	8.7mm	38-225g (#10-#60)	95g	11+1	10-40lb
NBOCT155	CUTTLEFISH	1.55m	1.5	113	1.2mm	9.8mm	112-375g (#30-#100)	108g	12+1	15-60lb
NBWEB168	WEBFOOT OCTOPUS	1.68m	1.5	125.5	1.2mm	9.9mm	38-75g (#10-#20)	110g	13+1	5-30lb

* Titanium Tip: NBOCT170

* Solid Carbon Tip: NBOCT145/155, NBWEB168

STICKBAIT
POPPER
MINNOW
VIB
CRANK
METAL JIG
FROG
SOFT BAIT
FISHING ROD
FISHING REEL
FISHING LINE
TERMINAL TACKLE
FISHING BAG
FISHING TOOLS
APPAREL

ARTISAN

Build For Professional Anglers

NEW SHORE CASTING



A versatile shore-casting series built for both shore jigging and plugging with diving pencils and poppers. The high-balance design reduces fatigue during long casting sessions, while maintaining a light, sharp casting feel and direct lure control. Available in six models from light to heavy power, the series is made for anglers casting at surface-feeding fish from shore.

ASC-96M+

-PE 3

Plug: 25-70g
Jig: 20-80g

A light-line model for small bait situations and high-pressure fishing. Best suited to PE1.5-PE3, its flexible M class tip works small plugs, seabass style plugs, and 20-80g jigs with ease. The M+ power butt section also has the strength for faster PE3 power games around crowded areas and difficult terrain. Light, responsive, and full of torque, it is built for technical shore fishing without excessive fatigue.

Recommended reel size: 5000-8000 Target size: 8 kg+



ASC-100MH

-PE 4

Plug: 35-85g
Jig: 30-100g

A balanced 10ft MH model for all-round shore bluewater fishing. Built for anglers who cast all day, it combines smooth casting distance with easy lure control. The soft tip works a wide range of plugs naturally, while the strong butt section gives metal jigs a sharp, crisp action. Suitable for rocky shores, offshore breakwaters, and reef platforms.

Recommended reel size: 5000-8000 Target size: 8 kg+



ASC-100MH+

-PE 5

Plug: 40-110g
Jig: 35-130g

A power-game model for targeting kingfish and other hard-fighting pelagic fish from rocky shorelines. It has a powerful butt section for keeping control during the fight, a strong yet flexible belly for solid hook sets, and a softer tip for working diving pencils. Built for demanding rocky-shore conditions, including remote offshore reefs and island locations.

Recommended reel size: 5000-10000 Target size: 10 kg+



ASC-100H

-PE 6

Plug: 40-120g
Jig: 35-150g

Designed for use with both jigs and plugs targeting blue runners around the 20kg class and perfect for calm and difficult conditions, when fish can clearly see the lure. It allows anglers to use a wide range of lures, including sinking minnows, poppers, diving pencils and jigs, to help trigger bites. Although the casting feel is sharp, the 10ft blank loads smoothly and applies steady pressure during the fight. For anglers who prefer plugs, the sharp casting feel makes lure operation easy and direct. It works well with both poppers and pencil type lures, allowing anglers to create a more manual and controlled action.




ASC-100XH

-PE 8

Plug: 50-150g
Jig: 45-180g

This model is a stronger version of the 100H. It is made for anglers who fight monster fish from the rocks. The blank bends deeply to help the angler stay balanced during hard fights. The belly section is slightly softer, so anglers can raise the rod higher when the fish comes close to the surface. The smooth bending curve also gives anglers more time to react when the fish makes a sudden run. This is very important when fishing from unstable rocks. The powerful butt section will help anglers when landing the fish by guiding the fish through rock formations and tide pools.





ASC-95XH+

-PE 8


Plug: 50-180g
Jig: 45-200g

The 95XH+ uses its shorter length to improve fighting power and make large plugs easier to work. It offers a good balance of light handling and strong power, making it effective in specific situations. The shorter length also reduces strain on the angler when using large cup faced poppers, helping save energy before the fight begins. With its light controllability, fast response, and powerful blank, the 95XH+ gives anglers a big advantage when a monster fish suddenly attacks the lure. It keeps steady pressure on the fish throughout the fight.





Compared with the other two models, the 95XH+ has a shorter blank. Because of its shorter length, it may appear to bend more deeply, but its power remains in the XH+ class.



- The blanks have strong overall stiffness, yet bend smoothly and progressively under load.
- The blank is built to handle high drag pressure. Strong and elastic Toray carbon helps convert that pressure into powerful lifting force during the fight.

"These images do not fully capture the rods' potential or characteristics. They were taken under limited conditions with gentle weight applied, so the instantaneous repulsion force and handling feel are not shown."




Not Too Stiff, Not Too Soft - You Will Not Get Tired Quickly

When fighting large fish, a belly section that is too stiff can quickly tire the angler. It can also be dangerous when fishing from rocks, as the angler may lose balance or be pulled toward the water.



The perfectly tuned belly section absorbs sudden runs from big fish, reduces pressure on the angler, and helps maintain control during hard fights.



REEL BALANCE

Model	Line	Suitable Reel Size	Model	Reel Weight (with line)
ASC-100H	Max PE6	SW 5000-14000	21 TWIN POWER SW 6000XG	438g
ASC-100XH	Max PE8	SW 8000-18000	25 STELLA SW 8000XG	668g
ASC-95XH+	Max PE8	SW 8000-18000	19 STELLA SW 14000XG	720g




*Tip heaviness can feel different for each angler.

This is only a reference to compare the rod balance when using reels of different weights.

Surprisingly Sharp Casting Feel

"A longer cast lets you cover more water and gives you a better chance of hooking fish."



Voyager

NEW



SHORE CASTING

A versatile blank designed to work metal jigs, vibration lures, minnows, diving pencils, and other plug lures with confidence. It gives anglers the control to adapt quickly when conditions change. A strong butt section provides the power needed when an unexpected big fish takes the lure exactly what a serious shore-jigging rod should offer.



VSC-96M+ -PE 3

Plug: 25-70g
Jig: 20-80g

A standard shore casting model for anglers who want a capable rod without excessive weight or effort. It works metal jigs, minnows, and topwater lures, while its strong butt section has the power needed for larger pelagic fish.

Recommended reel size: 5000-8000 Target size: 8 kg+



VSC-100MH -PE 4

Plug: 35-85g
Jig: 30-100g

A versatile 10ft shore casting model for everything from smaller pelagic fish to larger yellowtail and kingfish. Its length helps with casting distance and landing fish from shore. The powerful butt section handles hard fights, while the flexible tip works diving pencils naturally. A dependable standard model for breakwaters, offshore platforms, and rocky shorelines.

Recommended reel size: 5000-8000 Target size: 8 kg+



VSC-100MH+ -PE 5

Plug: 40-110g
Jig: 35-130g

A heavy-duty model for large pelagic fish around offshore reefs, strong current, and deep-water shore points. It handles metal jigs up to 120g with confidence. Despite its power, the blank remains smooth and full of torque to reduce angler fatigue. Made for serious shore fishing for yellowtail and kingfish in demanding conditions.

Recommended reel size: 5000-10000 Target size: 10 kg+



VSC-100H -PE 6

Plug: 40-120g
Jig: 35-150g

Versatile Big Game Model

The 10ft length gives the 100H a good balance of casting distance, lure control, and fighting power around reefs and rough shoreline structure.

Designed for serious rock shore fishing, this model is a strong choice for unknown areas and travel destinations, where one rod needs to handle many conditions. It can work lighter plugs around 12cm and jigs up to 150g. The softer tip helps lighter lures catch water more naturally, while the blank still keeps enough power for large fish.



VSC-100XH -PE 8

Plug: 50-150g
Jig: 45-180g

Power Versatile Big Game Model

The 100XH is a stronger big game model for serious rock shore fishing. A strong choice for anglers who need more power, heavier lure range, and better control in demanding shore game conditions.

It keeps the balanced 10ft length for casting distance, lure control, and fighting power, while offering more strength than the 100H when working heavier lures or fighting larger fish. The tip section helps plugs move naturally in the water, and the stronger mid and butt sections provide steady support during hard fights around reefs, rocks, and rough shoreline structure.



VSC-95XH+ -PE 8

Plug: 50-180g
Jig: 45-200g

Short Length For Constant Pressure

The 95XH+ is a big game rod designed for sharp casting, easy lure control, and strong fighting power.

Its shorter 9ft5 length gives the rod a lighter and quicker feel than many heavy rock shore rods. During casting and lure work, it feels close to an XXH power rod, making it easier to control heavy plugs. When the fight begins, the blank shows its true power. It bends with strong resistance and applies steady pressure to the fish. Short pumping movements help turn the fish's head and bring it up faster.



GAINERS - SHORE JIGGING HEAVY GAME ROD - NBG862XH

LEGEND 6 II - NBG902XH

LEISURE - X5 BASIC SHORE JIGGING - NBSF902H

GAINERS

SHORE CASTING ROD

It's gentle on your body from jig and plug control to casting and is bendy enough to fight big fish. Fuji double foot saltwater tough guides and Fuji reel seat provide excellent performance. H class rod is powerful and anglers will be able to comfortably cast 100g (max 110g) lures.

Model	Length	Action	Section	C.Length(m)	Tip Dia.	lure(g)	Weight(g)	Guide	Line
Spinning									
NBG862XH	8'6" (2.60m)	RF	2	136	2.3mm	Max160	318	6+1	PE #3.0-6.0
NBG862EXH	8'6" (2.60m)	RF	2	136	2.6mm	Max200	327	6+1	PE #4.0-8.0
NBG902H	9'0" (2.75m)	RF	2	143	2.6mm	Max110	329	6+1	PE #2.0-4.0
NBG902XH	9'0" (2.75m)	RF	2	143	2.8mm	Max160	354	6+1	PE #3.0-6.0
NBG1002H	10'0" (3.05m)	RF	2	158	2.6mm	Max110	379	6+1	PE #2.0-4.0
NBG1002XH	10'0" (3.05m)	RF	2	158	2.8mm	Max160	397	6+1	PE #3.0-6.0

LEGEND 6 II

SHORE JIGGING ROD

A general purpose shore jigging Rod perfect for casting Stickbaits and metal jig in the 40 to 160g range. These rods are very light and powerful.

Ideal for casting pencil baits and metal jigs, the softer tip of the rods, when compared to the Popping series, gives better action to stickbaits and allows anglers to work their lures through calm and rough conditions perfectly.

SALTWATER TOUGH GUIDES and heavy Duty Lock and the Ultra Durable EVA Grip provides a solid, infallible, connection to the rod.

Model	Length	Action	Section	C.Length(m)	Tip Dia.	lure(g)	Weight(g)	Guide	Line
Spinning									
NBG862XH	8'6" (2.60m)	R	2	136	2.6mm	40-160	326	6+1	PE #3.0-6.0
NBG862EXH	8'6" (2.60m)	RF	2	136	2.8mm	60-200	324	6+1	PE #4.0-8.0
NBG902H	9'0" (2.75m)	R	2	143	2.6mm	25-110	335	6+1	PE #2.0-4.0
NBG902XH	9'0" (2.75m)	R	2	143	2.8mm	40-160	350	6+1	PE #3.0-6.0
NBG1002H	10'0" (3.05m)	R	2	158	2.7mm	25-110	379	6+1	PE #2.0-4.0
NBG1002XH	10'0" (3.05m)	R	2	158	2.9mm	40-160	397	6+1	PE #3.0-6.0

LEISURE

X5 SHORE CASTING

Designed for use with a wide range of jigs and big, heavy hard and soft lures.

The biggest feature of the X5 shore jigging rod, is this model has power on the rod tip. The tip power can provide precise control for jigs by only the bounce motion of the rod tip.

Blank is made by high elasticity material, which is known commonly for high castability. Butt section is really strong but tip section is soft and sensitive.

The blank is designed with X-wrapping that supports your strong fight.

Double foot saltwater tough guides and Heavy-duty reel seat provides increased blank contact with outstanding sensitivity.

Model	Length	Action	Section	C.Length(m)	Tip Dia.	lure(g)	Weight(g)	Guide	Line
Spinning									
NBSF902H	9'0" (2.75m)	RF	2	142	2.1mm	Max70	279	7+1	PE #1.5-3.0
NBSF902XH	9'0" (2.75m)	RF	2	142	2.3mm	Max90	286	7+1	PE #2.0-4.0
NBSF962H	9'6" (2.90m)	RF	2	149.5	2.4mm	Max70	293	7+1	PE #1.5-3.0
NBSF962XH	9'6" (2.90m)	RF	2	149.5	2.4mm	Max90	299	7+1	PE #2.0-4.0
NBSF1002H	10'0" (3.05m)	RF	2	157	2.7mm	Max70	315	7+1	PE #1.5-3.0
NBSF1002XH	10'0" (3.05m)	RF	2	157	2.8mm	Max90	326	7+1	PE #2.0-4.0

STICKBAIT

POPPER

MINNOW

VIB

CRANK

METAL JIG

FROG

SOFT BAIT

SHORE JIGGING ROD

FISHING REEL

FISHING LINE

TERMINAL TACKLE

FISHING BAG

FISHING TOOLS

APPAREL



Infinite A6 SEA BASS



Updated sea bass rod has pretty sensitivity when fishing.
The split EVA handle reduces weight reasonably and improves sensibility.
Fuji Alconite K type guides reduce resistance and feature better casting.
Fuji reel seat with topspin button is easy to fix reel.

Model	Length	Section	C.Length(cm)	Tip Dia.	Butt Dia.	lure(g)	Weight(g)	Guide	Line
Spinning									
NBB822M	8'2" (2.49m)	2	129	1.6	13.0	7-35	133	8+1	PE #0.8-2.0
* NBB902M	9'0" (2.75m)	2	141	1.6	13.5	7-35	150	8+1	PE #0.8-2.0
* NBB822MH	8'2" (2.49m)	2	129	1.6	13.2	10-45	138	8+1	PE #0.8-2.5
NBB902MH	9'0" (2.75m)	2	141	1.6	14.0	10-45	164	8+1	PE #0.8-2.5
NBB962MH	9'6" (2.90m)	2	150	1.7	14.7	10-45	173	8+1	PE #0.8-2.5
NBB822H	8'2" (2.49m)	2	129	1.8	14.0	20-70	157	8+1	PE #1.0-3.0
NBB902H	9'0" (2.75m)	2	141	1.8	14.1	20-70	177	8+1	PE #1.0-3.0

* OEM ONLY

BEAST LIGHT GAME NEW



With a Beast X Light Game in your hands, you're in full control.
Whether you're flicking tiny lures around rocky outcrops, harbor walls, or bustling marinas, you can cast small spinners and other hard lures deceptively well, or fish a soft plastic close to shore with supreme precision, thanks to the sensitive tips. It's sharp, it's responsive, and it turns every little tug into a moment of excitement.
Features a solid graphite tip section that increases bite detection while applying minimal pressure to the fish, perfect for timid bites and delicate offerings. Fitted with corrosion-resistant Fuji K-Type O-Ring guides, which work perfectly with fine braid or mono reel lines.


Model	Length	Action	SEC	C.Length	Tip Dia.	lure(g)	Weight	Line
Spinning								
BLG722L-S	7'2"/218cm	F	2	114cm	0.9mm	1-11g	115g	PE 0.4-1.0
BLG762ML-S	7'6"/229cm	F	2	119cm	1.5mm	3-15g	120g	PE 0.4-1.2
BLG802ML-S	8'0"/244cm	F	2	127cm	0.9mm	3-15g	126g	PE 0.4-1.2

BEAST EGI NEW



The Beast X EGI features a full carbon blank with fast progressive action, delivering maximum casting distance and lively lure control. When casting egis, the tip snaps back instantly, sending the egis flying straight and true. Like a whip, it lets egis dart sharply underwater with minimal effort from the angler.

Model	Length	Action	SEC	C.Length	Tip Dia.	EGI Size	Weight	Line
Spinning								
BEG862ML	8'6"/259cm	RF	2	132cm	1.6mm	#1.8-3.8	108g	PE 0.4-1



POWER GAME

Beast is a complete range of predator rods from NOEBY designed and developed to cover all kind of technics for pike / peacock bass fishing.

Highly responsive and incredibly light high modulus full carbon.

Equipped with Fuji high-strength anti-wrap K-series guides and durable reel seat.

Ultra-high hardness EVA handle design.

Model	Length	Action	SEC	C.Length	Tip Dia.	Line(g)	Weight	Guide	Line
Casting									
NBS6620H-F	6'6"(1.98m)	F	2	104cm	2.0mm	14-70	170g	B+1	12-30lb
NBS6620XH-F	6'6"(1.98m)	F	2	103cm	2.7mm	28-150	187g	B+1	15-40lb
NBS7020H-F	7'0"(2.13m)	F	2	110cm	2.1mm	14-70	180g	B+1	12-30lb
NBS7820XH-F	7'8"(2.29m)	F	2	118cm	2.7mm	28-150	214g	B+1	15-40lb
NBS8020XH-F	8'0"(2.44m)	F	2	123cm	2.4mm	28-150	260g	B+1	15-40lb
NBS8020XH+MF	8'0"(2.44m)	MF	2	133cm	2.4mm	56-170	282g	B+1	20-50lb
Spinning									
NBS7420H-F	7'4"(2.24m)	F	2	116cm	2.1mm	14-70	206g	B+1	12-30lb
NBS8020H+MF	8'0"(2.44m)	F	2	126cm	2.2mm	28-90	183g	B+1	15-35lb



FLOAT TUBE

Dedicated to float-tube, Stand Up Paddle or kayak fishing.

Compact rods, generally short, and having a compact handle in order to offer maximum maneuverability during throws, animation of lures and fights.

Rather rare on the market, this type of short and light cane is also very suitable for children. It has a reduced size which will facilitate your gestures during throws as well as during close combat.

Equipped with Fuji's guides and durable reel seat.

Model	Length	Action	SEC	C.Length	Tip Dia.	Line(g)	Weight	Guide	Line
Spinning									
NBS562M	5'6"(1.68m)	F	1.5	146cm	1.8mm	3-14	102g	7+1	3-10lb
NBS562MH	5'6"(1.68m)	F	1.5	146cm	2.2mm	7-26	122g	6+1	6-17lb
NBS582H	5'8"(1.72m)	RF	1.5	150.5cm	2.3mm	10-40	131g	6+1	10-25lb
NBS5920H+	5'9"(1.75m)	RF	2	90.5cm	2.4mm	30-90	167g	6+1	12-35lb
Casting									
NBS562MH	5'6"(1.68m)	F	1.5	141cm	2.2mm	7-26	131g	7+1	6-17lb
NBS582H	5'8"(1.72m)	RF	1.5	145cm	2.2mm	10-40	137g	7+1	10-25lb
NBS5920H	5'9"(1.75m)	RF	2	91.5cm	2.2mm	20-60	146g	7+1	12-30lb

STICKBAIT
POPPER
MINNOW
VIB
CRANK
METAL JIG
FROG
SOFT BAIT
FISHING ROD
FISHING REEL
FISHING LINE
TERMINAL TACKLE
FISHING BAG
FISHING TOOLS
APPAREL

INSHORE

Virtuosi Inshore Series Rods will have you fishing with ease and power. It has been in the design and test field for over 2 years and can handle a very wide range of coastal fish and fishing techniques. Expect high performance whether you are fishing from a boat, or a kayak, fishing off of the beach to offshore fishing.

Versatility for Various Inshore Species

- The ergonomic handle ensures a comfortable and firm grip, even during prolonged fishing sessions.
- All rods feature an extended fore grip handle, which is a much-desired addition for any experienced inshore angler.

* The MH / H power model features a rubber gimbal that securely fits into a rod holder or a fighting belt for additional support.

Features

Carbon TORAYCA Japan IM6 IM7 (24T 30T)

Fuji Concept "O" Stainless Steel Guides

Fuji DPS / ECS Better Control Performance reel seats

Premium Cork Handle

Model	Length	Section	C.Length	Lure	Tip Dia.	Butt Dia.	Line	Weight	Guide	Drag/45°
Spinning										
* VS70MLF	7'0" (2.13m)	1	213cm	1/8-1/2oz (3.5-14g)	1.7	9.6	6-12b	135g	7+1	13kg
* VS70MF	7'0" (2.13m)	1	213cm	3/8-3/4oz (10.5-21g)	1.9	9.9	8-17b	144g	7+1	15kg
* VS70MHF	7'0" (2.13m)	1	213cm	1/2-1 1/2oz (14-42g)	1.9	10.6	12-25b	165g	7+1	13kg
* VS76MHF	7'6" (2.29m)	1	229cm	1/2-1 1/2oz (14-42g)	2.1	11.4	12-25b	190g	8+1	11kg
* VS76HF	7'6" (2.29m)	1	229cm	1/2-2oz (14-56g)	2.3	12.0	15-30b	195g	8+1	14kg
VS702MLF	7'0" (2.13m)	2	111cm	1/8-1/2oz (3.5-14g)	1.6	9.3	6-12b	134g	7+1	9kg
VS702MF	7'0" (2.13m)	2	111cm	3/8-3/4oz (10.5-21g)	1.8	9.6	8-17b	145g	7+1	10kg
* VS702MHF	7'0" (2.13m)	2	111cm	1/2-1 1/2oz (14-42g)	1.9	10.3	12-25b	168g	7+1	11kg
* VS762MHF	7'6" (2.29m)	2	120cm	1/2-1 1/2oz (14-42g)	1.9	11.8	12-25b	189g	8+1	11kg
* VS762HF	7'6" (2.29m)	2	120cm	1/2-2oz (14-56g)	2.1	12.3	15-30b	199g	8+1	13kg
Casting										
* VIC70MHF	7'0" (2.13m)	1	213cm	1/4-1oz (7-28g)	1.9	10.4	8-20b	162g	8+1	13kg
* VIC76MHF	7'6" (2.29m)	1	229cm	1/4-1oz (7-28g)	2.1	11.3	8-20b	175g	9+1	11kg
* VIC76HF	7'6" (2.29m)	1	229cm	3/4-2oz (21-56g)	2.3	11.9	15-30b	187g	9+1	14kg
VIC702MHF	7'0" (2.13m)	2	121cm	1/4-1oz (7-28g)	1.8	10.1	8-20b	172g	8+1	11kg
VIC762MHF	7'6" (2.29m)	2	127cm	1/4-1oz (7-28g)	1.9	11.2	8-20b	183g	9+1	11kg
VIC762HF	7'6" (2.29m)	2	127cm	3/4-2oz (21-56g)	2.2	12.1	15-30b	199g	9+1	13kg

* OEM ONLY





KEEN FORCE

Designed for multi-purpose light and predator fishing.
High Modulus Full Carbon blank for responsive performance.
Ergonomic reel seat blends perfectly with the modern cosmetics.
Exceptional value for the beginner or less experienced angler.

Model	Length	Action	Drag/60°	Section	C.Length	Tip Dia.	Lure(g)	Weight	Guide	Line
Spinning										
NBKF68L-S	6'8"(2.04m)	F	4kg	2	104.5cm	1.1	2-10	104g	7+1	3-8lb
NBKF74UL-S	7'4"(2.24m)	F	4kg	2	115.5cm	1.1	1-8	114g	8+1	2-6lb
NBKF76L	7'6"(2.29m)	F	4kg	2	118cm	1.5	2-10	109g	8+1	3-8lb
NBKF76ML	7'6"(2.29m)	F	5kg	2	119cm	1.7	5-25	129g	7+1	6-12lb
NBKF83ML	8'3"(2.52m)	F	5kg	2	130cm	1.8	5-25	146g	8+1	6-12lb
NBKF86ML	8'6"(2.59m)	F	5kg	2	134cm	1.8	5-25	157g	8+1	6-12lb
NBKF86M	8'6"(2.59m)	F	6kg	2	134cm	2.0	7-35	164g	8+1	8-16lb
NBKF90ML	9'0"(2.75m)	F	5kg	2	141cm	1.9	5-25	168g	8+1	6-12lb
NBKF90M	9'0"(2.75m)	F	7kg	2	141cm	2.0	7-35	170g	8+1	8-16lb
NBKF96M	9'6"(2.90m)	F	7.5kg	2	151cm	2.2	7-35	183g	8+1	8-16lb

*S: Solid Tip

	Trout (main stream, lake)	76L 76ML 83ML	If you're targeting trout up to 30cm in the main stream, 76L is recommended and if you're targeting larger fish, 76ML is recommended. For using small lures in lakes, 76L is recommended, and for long casting, the longer 83ML is ideal.
	Horse mackerel	68L-S 74UL-S	For beginners in jighead rigging, 68L-S is recommended. If long casting is required, 74UL-S is a match.
	Rockfish	74UL-S 76L	For Rock fishing with a combination of winding, a longer rod is advantageous. For worm fishing, 74UL-S is the best match. For plugs, 76L is a match.
	Seabream	76L	For exploring the bottom delicately and using topwater plugs for black sea bream, the shorter and more flexible 76L is a match.
	Seabass	86ML 90ML 96ML	For harbor areas, choose 86ML as the main focus, and for river mouths, choose 90-96ML as the main focus. If you mainly use minnows and sinking pencils, ML is recommended and if you use heavy vibrations frequently, M power is recommended.
	Eggs	83ML 86ML 86M	For the fall squid season, 83ML or 86ML is recommended. For the spring large-size season, the 86M which can also cast large Egi is the best match. Even around the fishing port, you can easily target up to 30cm.
	Scorpion fish & Pheasant grouper	76ML 86ML	Even around the fishing port, you can easily target up to 30cm. For Scorpion fish, 76ML is recommended and for strong-pulling pheasant grouper, use 86ML.
	Hairtail	83ML 86ML 86M	The key to winding is to keep the lure moving. Use 86ML as the main focus and if you lack confidence in your arm strength, use 83ML. When blue fish are mixed in, 86M is recommended.
	Flounder & Flathead	90ML 90M 96ML	Long models with excellent long casting are ideal. For minnows and worms, 96ML is recommended and for metal jigs, 96M is ideal.

INFINITE - SURF - NBH1403XH



SURF MASTER - GX TELESCOPIC ROD - GXTE4225



Infinite

INFINITE SURF

EVA handle is sensitive and avoids slipping.

Toray carbon blank is light, and action is precise.

Fuji guides and reel seat feature ultralight blank and long casting distance.

China red appearance, 3 sections design can be carried easily.

TUBULAR TIP

Model	Length	Section	C.Length	Tip Dia.	Butt Dia.	Casting Weight	Line	Weight	Guide
NBH1303XH	13'0" (3.97m)	3	137cm	2.7mm	21.0mm	100-260g	PE4-8	334g	5+1
NBH1403XH	14'0" (4.28m)	3	148cm	2.8mm	21.2mm	100-260g	PE4-8	400g	5+1



SURF MASTER

GX Telescopic Surf Rod NEW



The Surf Master GX Tele Surf is one of NOEBY'S most affordable surf casting rods and is a great choice if you are an occasional surf casting angler or on a limited budget. With a wide range of sizes to select there's sure to be a rod to suit your requirements and all models have a solid tip to maximise bite detection, ensuring you see even the smallest of bites. A fantastic rod for inexperienced or younger anglers, the Surf MasterTele Surf can be trusted to deliver superb performance.

Model	Length	Section	C.Length	Casting WT.	Weight
GXTE4220	4.2m	6	156cm	Max 200g	551g
GXTE4225	4.2m	6	156cm	Max 250g	622g



SURF MASTER SURFCASTING HYBRID



The Surf Master Hybrid is a ready and reactive hybrid tip rod that combines a high quality carbon blank, lightweight and excellent casting performance. The hybrid tips feature a seamlessly joined solid section, which amplifies the touches of even the smallest fish and the extra fast tip action allows you to really increase power when you need to reach long distances, but still maintain sensitivity to show smaller fish bites when using an approach lighter. The rod adapts to every style, offering variants with Fuji guides and Fuji DPS reel seat for a superior fishing experience, and equipped with the Cast Control Grip.

Model	Length	SEC	C.Length	Tip Dia.	Cast WT	Weight	Guide	Drag/60°
Spinning								
4253 Hybrid	14'0" (4.25m)	3	148cm	1.7mm	100-250g	480g	7+1	11kg

SURF MASTER SURFCASTING TUBULAR



The Surf Master Surf is a fishing rod designed to reach exceptional distances, ideal for expert anglers who want to maximize their performance. Built with high quality materials and advanced Noeby technologies, this rod offers an accurate action that converts the casting power into blank compression, allowing you to handle leads up to 250g. and achieve extremely precise and long casts. The rod adapts to every style, offering variants with Fuji guides and Fuji DPS reel seat for a superior fishing experience, and equipped with the Cast Control Grip, designed to offer a firm grip and improve strength and precision during casting.

Model	Length	SEC	C.Length	Tip Dia.	Cast WT	Weight	Guide	Drag/60°
Spinning								
4253BX	14'0" (4.25m)	3	148cm	3.4	100-250g	488g	7+1	11kg



Infinite

A7 SENSE



Made of high modulus, low resin A-helical core Toray carbon fiber from Japan
Special cutting technology and a four-axis construction offer high drag power and perfect whole performance.
New-style Fuji KL-H frame and high quality guides arranged reasonably feature long and precise casting distance.
Fuji reel seat, natural cork handle and strengthen EVA rear handle feature the sense of balance and superior sensibility.

Model	Length	Action	Section	C.Length	Tip Dia.	Butt Dia.	Line(g)	Weight	Guide	Line(lb)
Spinning										
NBBF762ML	7'6" (2.29m)	F	2	120cm	1.4mm	11.4mm	6-17	109g	9+1	8-16
NBBF762M	7'6" (2.29m)	F	2	120cm	1.7mm	11.4mm	7-28	111g	9+1	10-20
NBB802M	8'0" (2.43m)	MF	2	125cm	1.4mm	12.0mm	5-21	112g	9+1	10-20
Casting										
NBBFC702ML	7'0" (2.13m)	F	2	111cm	1.2mm	12.3mm	6-17	115g	9+1	8-16
NBBFC702M	7'0" (2.13m)	F	2	111cm	1.4mm	12.5mm	7-25	121g	9+1	10-20
NBBMC762M	7'6" (2.29m)	M	2	120cm	1.4mm	13.3mm	7-28	127g	10+1	10-20

* OEM ONLY

Senses



Equipped with Fuji's lightweight, high friction-resistant Alconite K guides.
Rolled for beastly bottom contact performance, this family of actions provides the perfect combination of technical sensitivity and pure power.
Designed for soft baits rig like jigheads, Texas rigs, Flipping and Pitching, features fast actions to increase accuracy and line control for low trajectory casting scenarios and imparting subtle movement to the bait.

Model	Length	Section	C.Length	Tip Dia.	Butt Dia.	Line(g)	Weight	Guide	Line(lb)
Spinning									
682ML	6' 8" (2.03m)	2	107cm	1.8mm	10.5mm	4-17	114g	7+1	4-8
682M	6' 8" (2.03m)	2	107cm	1.9mm	10.7mm	5-25	113g	7+1	4-10
722MH	7' 2" (2.19m)	2	113cm	2.1mm	13.4mm	7-28	120g	8+1	4-15
Casting									
C682ML	6' 8" (2.03m)	2	107cm	1.8mm	10.5mm	4-17	117g	9+1	4-8
C682M	6' 8" (2.03m)	2	107cm	1.9mm	10.7mm	5-25	116g	9+1	4-10
C722MH	7' 2" (2.19m)	2	113cm	2.1mm	13.4mm	7-28	123g	9+1	4-15

NONSUCH

FRESHWATER LURE ROD

With a short butt section design, the Nonsuch is suitable for all lure fishing techniques and can adapt to all fishing grounds, elevating the practical requirements of each fishing technique. It embodies three key features: high sensitivity, high strength, and high elasticity.

The guide rings adopt Fuji K-Series anti-tangle guides series, combining strength and durability. This enables it to cope with powerful bursts and accommodate diverse fishing setups, enhancing sensitivity and adaptability to various fishing techniques.

Model	Length	Section	C.Length (cm)	Tip Dia. (mm)	lure(g)	Weight (g)	Guide	Line
Spinning								
S602ML	6'0" (1.83m)	2	93.5	1.7	7-21	104	7+1	8-16lb
S662M	6'6" (1.98m)	2	103	1.7	10-30	117	7+1	10-20lb
S702M	7'0" (2.13m)	2	110.5	1.7	10-30	123	7+1	10-20lb
Casting								
C602MH	6'0" (1.83m)	2	93.5	1.8	14-42	118	8+1	12-25lb
C662MH	6'6" (1.98m)	2	103	1.8	14-42	128	8+1	12-25lb
C702M	7'0" (2.13m)	2	110.5	1.7	10-30	125	9+1	10-20lb



NONSUCH - C602MH

NONSUCH - S602ML

INFINITE - A7 Trout - NBO642L

Infinite

A7 TROUT

Japan toray carbon, light weight and precise action.

Fuji guides ensure smooth casting line. Natural cork handle imported from Portugal, perfect hand feeling.

It is the core design among small fish spinning rod, suitable for small minnow, soft worm and other light lure, used in any freshwater fishing. Exquisite tips give soft bait lifelike action.

Elegant laser carved "NOEBY" metal tag, wonderful showing the brand temperament.

Model	Length	Section	C.Length	Tip Dia.	lure(g)	Weight	Guide	Line
Spinning								
NBO642UL	6'4" (1.93m)	2	100cm	1.3mm	1-7	87g	6+1	2-4lb
NBO642L	6'4" (1.93m)	2	100cm	1.3mm	3-10	92g	6+1	3-8lb



LEISURE K7

Comfortable and Perfectly balanced- Work Great in medium lures.

Supreme sensitivity and advanced actions are perfectly designed for all styles of medium lures. Designed to be extremely durable, strong, and lightweight as well as give you fantastic vibration transmission.

Model	Length	Action	Section	C.Length	Tip Dia.	lure(g)	Weight	Guide	Line
Spinning									
* NBBF702M	7'0" (2.13m)	Fast	2	111cm	1.6mm	7-28	130g	7+1	10-20b
* NBBF702MH	7'0" (2.13m)	Fast	2	111cm	1.7mm	10-40	133g	7+1	10-25b
NBBF762M	7'6" (2.29m)	Fast	2	119cm	1.6mm	7-28	141g	8+1	10-20b
Casting									
NBBCF702M	7'0" (2.13m)	Fast	2	111cm	1.5mm	7-28g	129g	8+1	10-20b
NBBCF702MH	7'0" (2.13m)	Fast	2	111cm	1.7mm	10-40g	132g	8+1	10-25b
NBBCF762M	7'6" (2.29m)	Fast	2	119cm	1.5mm	7-28g	140g	9+1	10-20b
NBBCF762MH	7'6" (2.29m)	Fast	2	119cm	1.8mm	10-40g	145g	9+1	10-25b

* OEM ONLY


LEISURE K7 II

A blank that is highly elastic and has strong vibration absorbing capability can deal with all kinds of head shaking with its excellent shock absorption capability.

Light push casting is more effective in securing casting distance, rather than a strong swing motion. Light and responsive carbon rod blanks & Split rear EVA grip reduce weight and improve balance.

Model	Length	Action	Section	C.Length	Tip Dia.	lure(g)	Weight	Guide	Line
Spinning									
NBBF702M	7'0" (2.13m)	F	2	109cm	1.8mm	7-28	125g	7+1	10-20b
* NBBF702MH	7'0" (2.13m)	F	2	109cm	1.7mm	10-40	124g	7+1	10-25b
Casting									
NBBCF702M	7'0" (2.13m)	F	2	109cm	1.8mm	7-28	126g	8+1	10-20b
NBBCF702MH	7'0" (2.13m)	F	2	109cm	1.8mm	10-40	126g	8+1	10-25b

* OEM ONLY



LEISURE

JIG - SOLID TIP

Super Sensitive Carbon Solid Tip + Strong butt.

Work Great in Classic Jigging, Drop Shot and Finesse Jigging.

Supreme sensitivity and advanced actions are perfectly designed for all styles of micro lures.

The rods that have been fine-tuned perfectly for classic jigging, drop shot and finesse jigging fishing techniques.

Model	Length	Action	Section	C.Length	Tip Dia.	Lure(g)	Weight	Guide	Line
Spinning									
Jig 8	6'0" (1.83m)	EX.F	2	103cm	0.8mm	2-8	95g	8+1	3-6lb
Jig 12	7'0" (2.13m)	EX.F	2	109cm	0.8mm	3-12	100g	8+1	4-10lb
Jig 18	7'6" (2.29m)	EX.F	2	119cm	1.0mm	4-18	108g	8+1	5-12lb

LEISURE K6

X-style wrapping construction and high carbon make blank durable and ultralight, which feature precise action with 7-40g bait.

Equipped with K&KW frame and SiC guides, offering smooth casting and precise dropping.

Both casting and spinning model, suitable for various demands.

Model	Length	Section	C.Length	Tip Dia.	Butt Dia.	Lure(g)	Weight	Guide	Line
Spinning									
NBBF702M	7'0" (2.13m)	2	110cm	1.9mm	11.6mm	7-28	119g	7+1	10-20lb
NBBF762M	7'6" (2.29m)	2	120cm	1.9mm	11.8mm	7-28	127g	8+1	10-20lb
NBBF762MH	7'6" (2.29m)	2	120cm	1.9mm	11.8mm	10-40	133g	8+1	10-25lb
NBBF802M	8'0" (2.43m)	2	125cm	1.9mm	12.3mm	7-28	141g	8+1	10-20lb
Casting									
NBBF702M	7'0" (2.13m)	2	110cm	1.9mm	11.6mm	7-28	124g	8+1	10-20lb
NBBF762M	7'6" (2.29m)	2	120cm	1.9mm	11.7mm	7-28	129g	8+1	10-20lb
NBBF762MH	7'6" (2.29m)	2	120cm	1.9mm	11.5mm	10-40	130g	8+1	10-25lb

* OEM ONLY

LEISURE K5

Spinning and casting model, meet fisherman's different needs.

High carbon blank ensure strong power.

High strength and sensitivity, cast bait to long distance, suitable for shore casting.

Matched with multiple lures, nice operating performance for fake lures, also has power against big fish.

Model	Length	Section	C.Length	Tip Dia.	Butt Dia.	Lure(g)	Weight	Guide	Line(lb)
Spinning									
NBBF702M	7'0" (2.13m)	2	110cm	1.9mm	11.5mm	7-28	116g	7+1	10-20
NBBF762M	7'6" (2.29m)	2	120cm	1.9mm	10.7mm	7-28	124g	8+1	10-20
Casting									
NBBF702M	7'0" (2.13m)	2	110cm	2.1mm	11.6mm	7-28	123g	8+1	10-20
NBBF702MH	7'0" (2.13m)	2	110cm	2.1mm	11.6mm	10-35	128g	8+1	10-25
NBBF762MH	7'6" (2.29m)	2	120cm	2.3cm	11.8mm	10-35	132g	9+1	10-25

LEISURE - JIG - JIG 8

LEISURE - K6 - NBBF702M

LEISURE - K5 - NBBF702M



LEISURE

Carbon Fiber telescopic fishing pole rod, can be used in lake, river, reservoir.

28 tons carbon platform style, strong body and uniform bends, comfortable handle. Anti-cracking ring design, avoid cracking, spread the immediate force and reinforce the pole hole.

Anti-lock system design, avoid the section to be locked and make power conduction smoothly.

Packed with high level NOEBY PET box, beautiful and safe.

Model	Section	Tip Dia.	Butt Dia.	C.Length	Weight	Safe Drag	Max Drag
3.6m	4	1.2mm	21.8mm	1080mm	80g	1500g	1700g
4.5m	5	1.2mm	22.8mm	1080mm	113g	1800g	2000g
5.4m	5	1.2mm	23.6mm	1180mm	190g	2000g	2200g
6.3m	6	1.2mm	25.5mm	1180mm	188g	2000g	2200g
7.2m	7	1.2mm	26.0mm	1180mm	253g	2000g	2200g

NONSUCH

Nano coating golden shining surface.

Transverse carbon cloth wall, inner and middle longitudinal carbon cloth.

High pressure Integrator Tech, improve the density of material.

4H hardness and light weight, anti-skid handle is easy to hold.

Packed with high level NOEBY PET box, beautiful and safe.

Model	Section	Tip Dia.	Butt Dia.	C.Length	Weight	Safe Drag	Max Drag
3.6m	4	1.4mm	23.0mm	1060mm	72g	1600g	1800g
4.5m	4	1.5mm	23.8mm	1220mm	100g	1800g	2000g
5.4m	5	1.5mm	24.5mm	1180mm	145g	2000g	2200g
6.3m	6	1.5mm	25.2mm	1180mm	185g	2000g	2200g

NONSUCH PLUS

Powerful pulling force to challenge big fish.

Reverse wire carbon cloth enhance the drag power.

Electroplating ice flower ensure magnificent coating.

Integrated skidproof grip, easy operation.

Exclusive high-end gift box protect the rod during transportation.

Model	Section	Tip Dia.	Butt Dia.	C.Length	Weight	Drag
4.5m	5	1.6mm	24.5mm	1080mm	147g	8000g
5.4m	5	1.6mm	24.7mm	1180mm	181g	8000g
6.3m	6	1.6mm	25.7mm	1180mm	237g	8000g
7.2m	7	1.6mm	27.4mm	1180mm	318g	8000g
8.1m	8	1.6mm	29.5mm	1180mm	405g	8000g
9.0m	9	1.6mm	31.0mm	1180mm	505g	8000g
10.0m	10	1.6mm	33.8mm	1180mm	609g	8000g